

# PACKARD SUPER and CUSTOM CONVERTIBLE 1949 BODY PARTS

## Series 2332, 2333. ALL BODY STYLES




### FRONT BUMPER ASSEMBLY

| Item | Part No. | Description | Price |
|---|---|---|---|
| | 412782 | Bumper assy., F., 2332 | $65.00 |
| | 412783 | Bumper assy., F., 2333 | 70.00 |
| 1 | 412788 | Bar, face | 35.00 |
| 2 | 412785 | Guard, L., 2332 | 10.00 |
| 2 | 412787 | Guard, L., 2333 | 15.00 |
| 3 | 412793 | Bar, sup., in. L. | 2.00 |
| 4 | 412795 | Bar, sup., out. L. | 2.00 |
| 5 | 415890 | Stone shield | N.P. |



### FRONT FENDER ASSEMBLY

| Item | Part No. | Description | Price |
|---|---|---|---|
| 1 | 415251 | Fender assy., L. | 50.00 |
| | 415982 | Seal, fender | N.P. |
| | 372449 | Bracket, L., shield | .41 |
| 2 | 415067 | Shield, gravel, L. | N.P. |
| 8 | 391197 | Brace, L., shield | .30 |
| 3 | 413235 | Mold., L., fender side | 1.60 |
| 4 | 413241 | Plate, fender side, L. | 1.50 |
| 5 | 415670 | Plate script | 1.25 |
| | 415672 | Seal, script plate | .02 |
| 6 | 396323 | Splasher, L., low. | 5.00 |
| 7 | 407856 | Splasher, L. | 3.60 |



### HEADLAMP ASSEMBLY


| Item | Part No. | Description | Price |
|---|---|---|---|
| | 393696 | Headlamp, L. | 15.40 |
| 1 | 371402 | Gasket, fender | .28 |
| 2 | 393702 | Body assy. | 3.00 |
| 4 | 371404 | Mount. bulb | 2.05 |
| 6 | 354145 | Retainer | 1.85 |
| | 410044 | Cable, L., assy. | 2.00 |
| | 410046 | Connector | N.P. |
| | 351167 | Junction block | .30 |
| 7 | 394717 | Door, 2332 | 2.75 |
| 7 | 394718 | Door, prime, 2333 | 3.00 |
| | 383490 | Switch assy., dim. | 1.15 |
| | 311729 | Cap, dim. sw. | .14 |
| | 393563 | Sw. assy., hdlp. | 2.75 |
| | 410047 | Circuit breaker | 1.00 |
| | 399564 | Bracket, indicat. light | .70 |

### PARKING LAMP

| Item | Part No. | Description | Price |
|---|---|---|---|
| | 416097 | Parking lamp, L. | 10.00 |
| 8 | 416128 | Body & cables, L. | 4.00 |




| Item | Part No. | Description | Price |
|---|---|---|---|
| | 416083 | Connector, cable | N.P. |
| 11 | 399329 | Door, L. | 2.80 |
| | 399326 | Gasket, door | .18 |
| 9 | 399332 | Glass | .70 |
| 10 | 416136 | Gasket, glass | N.P. |



### GRILLE ASSEMBLY

| Item | Part No. | Description | Price |
|---|---|---|---|
| 1 | 396378 | Mold., low., 2359 | 17.50 |
| 1 | 415237 | Mold., low., 2379 | 15.00 |
| 2 | 415034 | Mold., center, 2379 | 20.00 |
| 3 | 415239 | Mold., up. L. | 6.00 |
| 4 | 396385 | Reinfmt., L., 2359 | .80 |
| 4 | 415029 | Reinfmt., L., 2379 | N.P. |
| 5 | 391213 | Mold., L. | 3.00 |
| 6 | 396361 | Grille, less fins, 2359 | 33.00 |
| 6 | 415240 | Grille, less bars, 2379 | 38.00 |
| 7 | 391374 | Emblem, grille | 2.00 |
| | 415307 | Bar, center & low., L., 2379 | 2.25 |
| | 415309 | Bar, up. L., 2379 | 2.25 |
| | 415319 | Retainer, center bar, 2379 | .20 |
| | 415321 | Retainer, out. L., 2379 | .20 |
| 8 | 396383 | Fin assy., L., 2359 | 16.00 |
| 8 | 396705 | Fin, center L., hor., 2359 | 1.85 |
| 8 | 396709 | Fin, low. L., hor., 2359 | 1.85 |
| 8 | 396707 | Fin, low. cent., L., 2359 | 1.85 |
| 8 | 396703 | Fin, up. cent., L., 2359 | 1.85 |
| 9 | 396713 | Fin vert, cent. L., 2359 | 1.85 |
| 9 | 394735 | Fin vert, in. L., 2359 | 1.85 |
| 9 | 396715 | Fin vert, out. L., 2359 | 1.85 |
| | 396719 | Retainer, cent., 2359 | .30 |
| | 396721 | Retainer, out. L., 2359 | .30 |
| | 399015 | Bar, L., div. hor., 2359 | 6.00 |
| | 399057 | Spacer, vert. cent., 2359 | .90 |
| | 399059 | Spacer, vert. in. L., 2359 | .90 |
| | 399061 | Spacer, vert. out. L., 2359 | .90 |
| 10 | 415873 | Splasher, rad., low., 2359 | N.P. |
| 10 | 415890 | Splasher, rad., low., 2379 | N.P. |
| | 375077 | Bumper, splasher, low. | .07 |
| 11 | 415545 | Splasher, L., rad. side | 6.00 |
| 12 | 396446 | Screen, splasher air duct | .90 |
| 13 | 394630 | Splasher, rad. top, 2359 | 4.50 |
| 13 | 415036 | Splasher, rad. top, 2379 | 5.00 |




### HOOD ASSEMBLY

| Item | Part No. | Description | Price |
|---|---|---|---|
| 1 | 415209 | Hood assy. | 40.00 |
| 2 | 372174 | Bumper, cowl | .07 |
| 2 | 399324 | Bumper, pivot | .33 |
| 2 | 372148 | Bumper, front | .12 |
| 2 | 407010 | Bumper, rear cor. | .03 |
| 2 | 391463 | Bumper, fender | .09 |
| 3 | 378664 | Dowel, rear | .20 |
| | 391757 | Pin, guide | 1.75 |
| 5 | 372295 | Clamp, L.F. lock. | .46 |
| 5 | 399529 | Clamp, L.R. lock, 2332 | .90 |
| 5 | 399531 | Clamp, L.R. lock, 2333 | 1.30 |
| 6 | 399527 | Roller, clamp | .30 |
| | 372305 | Bracket, L., clamp. | .46 |
| | 372338 | Rod, clamp, 2332 | .46 |
| | 391719 | Rod, clamp, 2332 | .70 |
| | 373764 | Spring, rod, anti-rat. | .05 |
| | 372331 | Pin, lock clamp | .16 |
| | 372450 | Spring, L., clamp. | .12 |
| 12 | 399453 | Handle, lock, L. | N.P. |
| | 399458 | Knob, handle | .50 |
| | 372536 | Grommet, handle, dash | .28 |
| 13 | 396074 | Prop | .40 |
| 14 | 372463 | Rest, prop | .35 |
| | 383366 | Spring, prop | .12 |
| 15 | 370413 | Catch assy., L. | .70 |
| | 378514 | Spring, catch | .10 |
| 16 | PA407949 | Ornament assy. | 12.00 |
| | 415850 | Wthstp. on cowl | .45 |
| | 391519 | Retainer, wthstp. | N.P. |


# BODY PARTS 1949 SUPER and CUSTOM CONVERTIBLE PACKARD

## Series 2332, 2333. ALL BODY STYLES




### RADIATOR ASSEMBLY

| Item | Part No. | Description | Price |
|---|---|---|---|
| 1 | 377265 | Cap | 1.40 |
| 2 | 418395 | Core assy., 2332 | N.P. |
| 2 | 418828 | Core assy., 2333 | N.P. |
| 3 | 412419 | Cradle, 2332 | N.P. |
| 4 | 391885 | Bracket, L., cradle, 2332 | N.P. |
| 5 | 395828 | Brace, L., cradle to fender | .70 |
| 6 | 395822 | Bracket, L., cradle to fender | .60 |
| 7 | 403749 | Brace, low., cradle to grille | 1.50 |
| 7 | 403747 | Brace, up., cradle to grille | 1.50 |
| 8 | 389867 | Tie rod | 1.00 |
| 9 | 362825 | Bracket, tie rod | .46 |
| 10 | 202504 | Grommet | .15 |
| 10 | 362357 | Guide | .02 |
| 10 | 202221 | Retainer | .05 |
| 11 | 378248 | Drain cock | .46 |





### INSTRUMENT PANEL

| Item | Part No. | Description | Price |
|---|---|---|---|
| 1 | 417527 | Panel, red, 2332 | N.P. |
| 1 | 417528 | Panel, tan, 2332 | N.P. |
| 1 | 415291 | Panel, 2333 | N.P. |
| 2 | 411633 | Cover, ash rec. | 1.30 |
| | 412931 | Trim, center panel. | 8.00 |
| | 415541 | Box assy., glove | 2.00 |
| 3 | 415956 | Panel, red, glove, 2332 | N.P. |
| 3 | 415957 | Panel, tan, glove, 2332 | N.P. |
| 3 | 401592 | Panel, glove door, 2333 | 2.00 |
| 4 | 376199 | Hinge, glove door | N.P. |
| | 401398 | Adapter, glove door handle | .50 |
| 5 | 401450 | Handle, glove door. | 1.50 |
| | 385521 | Spring, anti-rat., glove | .05 |
| 6 | 385534 | Cyl., glove handle | 1.75 |
| | 401434 | Latch, handle | .20 |
| | 401598 | Striker, glove latch | .10 |
| 7 | 399395 | Mold., glove box, low. | .50 |
| 7 | 396486 | Mold., glove box, up. | .80 |
| | 416153 | Switch, ident. light | N.P. |
| | 410599 | Mask, inst. cluster | 1.20 |
| | 410539 | Case, inst. cluster | .80 |
| 8 | 417524 | Panel, red, inst. cluster. 2332 | N.P. |
| | 417525 | Panel, tan, 2332 | N.P. |
| | 412988 | Trim, cluster pan. | 3.75 |
| 9 | 396487 | Mold. cluster trim. | .50 |
| | 396485 | Trim mold., chrome | .50 |
| 11 | 411639 | Cover, radio open. | 1.50 |
| 10 | 410013 | Speedometer | 12.50 |
| 12 | 416070 | Clock | 19.55 |


### REAR FENDER ASSEMBLY

| Item | Part No. | Description | Price |
|---|---|---|---|
| 1 | 417159 | Fender & whhouse., L., 2359 | N.P. |
| 1 | 417151 | Fender & whhouse., L., 2379 | N.P. |
| | 417167 | Panel, L., F. up., 2359 | N.P. |
| | 417157 | Panel, L., 2379 | N.P. |
| 2 | 396352 | Lid assy., filler | 1.20 |
| | 357434 | Bumper, filler lid | .07 |
| | 391145 | Pin, filler lid | .06 |
| | 357433 | Spring, F. filler lid | .14 |
| | 359625 | Spring, R. filler lid | .14 |
| 3 | 391259 | Shield, L., rear fender | 1.30 |
| 4 | 413221 | Mold., L., R.F. bottom | 2.25 |
| 5 | 411481 | Shroud, L., R.F. | 7.50 |
| 6 | 399897 | Anti-squeak, shroud | .30 |
| 7 | 399659 | Bracket, L., shroud | .16 |
| 7 | 399941 | Bracket, L., fender | .90 |





### WINDSHIELD ASSEMBLY

| Item | Part No. | Description | Price |
|---|---|---|---|
| | 385227 | Reinfmt. | .50 |
| 1 | 391917 | Mold. div., in. | 3.00 |
| 2 | 396696 | Mold. div., out. | 2.00 |
| 3 | 411179 | Mold., L., fin., in. | 6.60 |
| | 372018 | Plug, mold., defroster | .14 |
| | 405537 | Cordweit, L., 2359 | 1.30 |
| | 256434 | Cordweit, 2379 | 1.20 |
| 6 | 385233 | Rim, L., fin., out. | 2.50 |
| 4 | 385231 | Glass | 9.00 |
| 5 | 385223 | Wthstp., glass | 7.00 |
| | | WINDSHIELD CLEANER ASSY. | |
| | 415511 | Cable & pivot, L. | 2.30 |
| | 415499 | Tensioner, cleaner cable, L. | 1.50 |
| | 413339 | Motor assy., cleaner | 10.25 |
| | 415536 | Cable assy., motor. | 1.25 |
| | 399194 | Gasket, motor | .07 |
| | 399087 | Knob, cleaner cable | .55 |
| | 415903 | Spacer, L., shaft | .65 |
| | 415912 | Gasket, spacer | .07 |
| | 395820 | Tube, low. hose, 2359 | .70 |
| | 398287 | Tube, low. hose, 2379 | .50 |




# PACKARD SUPER and CUSTOM CONVERTIBLE 1949 BODY PARTS

## Series 2332, 2333. *ALL BODY STYLES*





### CAR BODY

| Item | Part No. | Description | Price |
|---|---|---|---|
| 8 | 413823 | Panel, L., cowl side | N.P. |
| 4 | 413887 | Dash panel | N.P. |
| | 385074 | Rear end belt | 3.00 |
| 5 | 396416 | Panel, rear center, low. | N.P. |
| | 385108 | Gutter, up. R. end pan. | 1.00 |
| | 385109 | Gutter, side & bottom R. end pan. | 1.60 |
| 2 | 417279 | Panel assy., cowl | N.P. |
| | 385035 | Frame assy., cowl | N.P. |
| | 392607 | Floor, rep. panel | 9.00 |
| 3 | 385175 | Panel assy., slii, L. | 3.00 |
| 7 | 417159 | Fender & whhouse., L., 2359 | N.P. |
| 7 | 417151 | Fender & whhouse., L., 2379 | N.P. |
| | 403063 | Gas tank assy. | 13.80 |




### OUTSIDE MOLDINGS

| Item | Part No. | Description | Price |
|---|---|---|---|
| 1 | PA407949 | Ornament assy. | 12.00 |
| 2 | 383233 | Rim, L., outside finish | 2.50 |
| 3 | 396696 | Mold., L., outer div. finish | 2.00 |
| 4 | 385129 | Frame assy., L., window wing | 14.00 |
| 5 | 413179 | Mold., L., door belt | .... |
| 6 | 413189 | Mold., L., rear qtr. belt. | .... |
| 7 | 413221 | Mold., L., rear fender | 2.25 |
| 8 | 413208 | Mold., L., door | .... |
| 9 | 413235 | Mold., L., front fender | 1.60 |




### DECK LIDS

| Item | Part No. | Description | Price |
|---|---|---|---|
| 3 | 396653 | Lid assy. | 27.00 |
| 4 | 385327 | Hinge assy. | 3.50 |
| 2 | 372343 | Lock assy., lid | 2.75 |
| | 410435 | Cyl. uncut, lock | .50 |
| | 396924 | Cyl. & case assy. | 1.10 |
| | 405716 | Gasket, cyl. | .02 |
| 1 | 396641 | Handle, lid lock | 3.00 |
| | 399137 | Gasket, handle | .10 |
| 6 | 372575 | Striker, L., lock | .60 |
| 6 | 392621 | Bracket, striker | 1.00 |
| 6 | 372493 | Plate, striker | .09 |
| | 396697 | Script plate | 2.75 |
| 5 | 385373 | Wthstp., lid | 8.25 |


### LICENSE LIGHT ASSEMBLY


*Not illustrated*

| Part No. | Description | Price |
|---|---|---|
| 403862 | Light assy. | 4.00 |
| 389287 | Gasket | .30 |
| 371692 | Door | 2.10 |
| 371693 | Glass | .80 |
| 335855 | Gasket | .06 |
| 403861 | Body & socket | 2.00 |
| 410241 | Cable | .40 |

# BODY PARTS 1949 SUPER and CUSTOM CONVERTIBLE PACKARD


## Series 2332, 2333. ALL BODY STYLES




### FRONT DOOR ASSEMBLY

| Item | Part No. | Description | Price |
|---|---|---|---|
| 1 | 417287 | Door assy., L., 2359 | N.P. |
| 1 | 417289 | Door assy., L., 2379 | N.P. |
| | 411529 | Panel, out. rep., L. | 13.20 |
| | 417295 | Panel, L., up., 2359 | N.P. |
| | 417293 | Panel, L., up., 2379 | N.P. |
| 3 | 256957 | Arm rest, L., 2379 | N.P. |
| 4 | 256955 | Trim cover, L., arm rest | N.P. |
| | 413208 | Mold., bottom, out. | 1.75 |
| | 391774 | Bumper, body half | 1.50 |
| | 391718 | Bumper, door half | .16 |
| | 372249 | Arm assy., check | .41 |
| | 370405 | Bracket, check arm | .41 |
| | 370406 | Retainer, check | .46 |
| 5 | 411279 | Hinge, low. L. | 3.40 |
| 6 | 411273 | Hinge, L., up. | 3.40 |
| | 372040 | Pin, hinge | .18 |
| 7 | 399089 | Lock assy., L., 2359 | 11.00 |
| 7 | 396063 | Lock assy., L., 2379 | 10.00 |
| | 410434 | Cyl. uncut, lock | .50 |
| | 399038 | Case assy., cyl. lock | 1.60 |
| | 401375 | Handle, L., out. | 3.50 |
| | 401444 | Gasket, out. handle | .03 |
| 8 | 396916 | Knob, lock rod | .30 |
| 9 | 385257 | Remote cont. assy., L. | 1.00 |
| 10 | 396478 | Handle, in., R.C. | .90 |
| 11 | 396475 | Plate, escutcheon, 2359 | .20 |
| 11 | 399096 | Plate, escutcheon, 2379 | .50 |
| | 133264 | Spring, escutcheon | .07 |
| 12 | 399201 | Striker, L., 2359 | 2.00 |
| 12 | 399029 | Striker, L., 2379 | .40 |
| | 392616 | Fastener, trim pan. | .16 |
| | 413343 | Mold., trim pan., low., 2359 | N.P. |
| 14 | 414315 | Mold., trim pan., up. | N.P. |
| | 414625 | Mold., trim pan., low., 2379 | N.P. |
| | 396157 | Wthstp., L., hinge side, low. | 2.50 |
| | 396019 | Wthstp., L., hinge side, up. | 1.80 |
| | 417515 | Wthstp., L., hinge side door, up. cor. | N.P. |
| 16 | 396231 | Wthstp., L., lock side | 1.20 |
| 16 | 417479 | Wthstp., L., lock side pillar | N.P. |
| | 417407 | Retainer, L., hinge side | N.P. |
| | 399185 | Retainer, L., hinge side, up. cor. | .30 |
| | 417470 | Retainer, lock side pillar | N.P. |
| | 396295 | Seal, in. L. | .40 |
| | 396013 | Seal, out. L. | .50 |
| 17 | 405593 | Mold., L., 2359 | 20.00 |
| 17 | 417445 | Mold., L., set 724, 2379 | N.P. |
| 17 | 417447 | Mold., L., set 726, 2379 | N.P. |
| 18 | 391380 | Glass | 5.00 |
| | 391823 | Chan. assy., L. | 8.00 |
| | 391846 | Wthstp., glass, low. | .70 |
| 20 | 391819 | Frame assy., L., glass | 23.00 |
| 21 | 399701 | Guide, L., glass, rear | .40 |
| 22 | 409184 | Stop, glass door pan. | .80 |
| 22 | 409596 | Stop, glass, low. chan. | .30 |
| | 396081 | Regltr., L. | 5.00 |
| | 391939 | Retainer, reg. assy. | .70 |
| | 413138 | Spring, reg., out. | .80 |
| | 413137 | Spring, reg., in. | .80 |
| | 385240 | Runway, front | .30 |
| | 391792 | Runway, rear, low. | 1.00 |
| | 391847 | Retainer, R. runway, low. | .90 |
| 23 | 385097 | Vent. assy., L. | 37.50 |
| 24 | 385152 | Glass, vent. | 1.80 |
| 25 | 385155 | Glass & ret., L. | 9.00 |
| 26 | 385129 | Frame assy., L. | 16.00 |
| 27 | 396571 | Handle, L., vent. | .70 |
| | 372999 | Shaft, vent., handle | .35 |
| | 385157 | Pivot, L., male | 1.50 |
| | 385191 | Pivot, L., female | .34 |
| 28 | 385131 | Wthstp., L. vent., F. | 2.50 |
| 28 | 385252 | Wthstp., vent., low. F. | .05 |
| 28 | 385250 | Wthstp., vent., rear | .24 |





### FRAME ASSEMBLY

| Item | Part No. | Description | Price |
|---|---|---|---|
| 1 | 412690 | Frame, 2332 | 120.00 |
| 1 | 418335 | Frame, 2333 | N.P. |
| 2 | 418366 | Bracket, stab. lateral | N.P. |
| 3 | 371854 | Bracket, #1 | .50 |
| 3 | 384178 | Bracket, L., #2 | 2.00 |
| 3 | 371852 | Bracket, #3 & 4 | .70 |
| 3 | 384181 | Bracket, #4½ | 2.50 |
| 3 | 373116 | Bracket, #5 | .85 |
| 4 | 341937 | Bracket, F. brake hose | .06 |
| 4 | 371179 | Bracket, R. brake hose | .41 |
| 5 | 389586 | Chan., F., 2332 | 20.00 |
| 5 | 389587 | Chan., F., 2333 | 20.00 |
| 6 | 371037 | Support, tank | 1.00 |
| 7 | 373018 | Chan. tank sup. | 3.45 |
| 8 | 371919 | Bracket, muf. sup., 2332 | .30 |
| 8 | 373851 | Bracket, muf. sup., 2333 | .60 |
| 9 | 367024 | Chan., rear | N.P. |
| 10 | 348573 | Bracket, rear shock | .45 |
| 11 | 367935 | Bracket, sprg., rear L., front | 1.40 |
| 12 | 367202 | Bracket, L.R. shackle | 2.75 |
| 13 | 373220 | Bracket, L. rear cable | N.P. |
| 14 | 377515 | Splasher, L., frame to case | 2.00 |


# PACKARD SUPER and CUSTOM CONVERTIBLE 1949 BODY PARTS

## Series 2332, 2333. ALL BODY STYLES




### HYDRAULIC DOOR WINDOW ASSEMBLY

| Item | Part No. | Description | Price |
|---|---|---|---|
| 1 | 385099 | Cyl. & regltr., L. | 15.00 |
| 2 | 391767 | Cyl. assy. | 9.00 |
| 3 | 399189 | Cable assy., cyl. to sw. | .50 |
| 4 | 391765 | Clip, cyl. to regltr. | .06 |
| | 417548 | Hose assy. cyl. | 2.50 |
| 5 | 396966 | Conduit, cyl. hose | 1.80 |
| 6 | 396962 | Clamp, conduit | N.P. |
| 7 | 399305 | Tube, cyl. cowl side | .50 |
| 7 | 409599 | Tube, cyl. dash to cowl, S. | .40 |
| 8 | 396081 | Regltr. assy., L. | 5.00 |





### REAR BUMPER ASSEMBLY

| Item | Part No. | Description | Price |
|---|---|---|---|
| | 412868 | Bumper assy., 2332 | 80.00 |
| | 419307 | Bumper assy., 2333 | 75.00 |
| 1 | 395346 | Bar, face | 24.20 |
| 2 | 412785 | Guard, L. | N.P. |
| 3 | 395548 | Guard, L., R.F. | 33.00 |
| 4 | 395568 | Bar, guard sup. | 1.65 |
| 5 | 403012 | Bracket, sup. bar, 2333 | .30 |
| 6 | 401839 | Stone shield | 4.00 |
| 7 | 418946 | Bar, L., in. sup., 2333 | 1.80 |
| 7 | 418948 | Bar, L., out. sup., 2333 | 1.50 |

### FOLDING TOP

*Not illustrated*

| Part No. | Description | Price |
|---|---|---|
| 410352 | Top, less fabric, 2359 | 175.00 |
| 410353 | Top, less fabric, 2379 | 125.00 |
| 385091 | Mold., belt rail | 3.50 |
| 399593 | Link, L., power guide | 3.50 |
| 405178 | Bow, #1 | 4.40 |
| 405119 | Link, bow #1, 2359 | 4.50 |
| 401725 | Link, bow #1, 2379 | 1.10 |
| 405151 | Link & sup., #1 bow, 2359, L. | 5.50 |
| 401833 | Link & sup., #1 bow, 2379, L. | 1.90 |
| 405174 | Bow, #2 | 4.40 |
| 391780 | Rear bow | 6.60 |
| 253744 | Cover, rear bow | .90 |
| 396007 | Link, L., rear bow | 1.50 |
| 253805 | Mold. & cover, R.B., 2359 | 8.60 |
| 139159 | Fastener, boot bag | .03 |
| 397449 | Fastener, boot half | .05 |
| 139157 | Fastener, rivet post, female | .04 |
| 139158 | Fastener, rivet post, male | .03 |
| 401792 | Header assy. | 46.00 |
| 396135 | Dowel, header, cent. | 2.50 |
| 396159 | Dowel, L., header, out. | 2.40 |
| 396104 | Handle, header | 1.60 |
| 396121 | Escutcheon, handle | .34 |
| 396132 | Spring, escutcheon | .03 |
| 396772 | Plate, header, cent. | .50 |
| 396771 | Plate, header, end | .50 |
| 396141 | Tacking strp., header, cent. | 1.10 |
| 411091 | Tacking strp., header, F. side | .08 |
| 396015 | Tacking strp., header, rear | .14 |
| 396907 | Mold., L.F. header trim | 1.00 |
| 396903 | Clip, front header | .36 |
| 396905 | Retainer, L. front header | .40 |
| 396160 | Wthstp., header, F. | 2.50 |
| 385359 | Wthstp., header, R. | 1.00 |
| 253804 | Welt, header, in. | .70 |
| 253803 | Welt, header, out. | .80 |
| 257623 | Boot & bag, black | N.P. |
| 257622 | Boot & bag, sun tan | N.P. |
| 257621 | Boot, dust, black | N.P. |
| 57620 | Boot, dust, sun tan | N.P. |
| 96011 | Hinge, L., pillar | 7.00 |
| 391875 | Hinge, L., pillar, rear half | 10.50 |
| 391927 | Hinge, L., pillar, front half | 10.00 |
| 405107 | Prop, main cont., L., 2359 | 6.60 |
| 401775 | Prop, main cont., L., 2379 | 3.00 |
| 409112 | Plate, prop | 1.20 |
| 409595 | Glass, curtain | 2.50 |
| 417174 | Mold., in., glass | 2.75 |
| 417175 | Mold., out., glass | 2.75 |
| 257603 | Stay assy., L., deck | 2.25 |
| 399957 | Rail & reinfmt., cent., L. side | 6.50 |
| 399953 | Rail & reinfmt., front, L. side | 5.50 |
| 399955 | Rail & reinfmt., rear, L. side | 6.50 |
| 405009 | Hinge, F. half, L. side | 5.00 |
| 405007 | Hinge, R. half, L. side | 5.00 |
| 411839 | Link, L., 2359, F. & R. | 3.00 |
| 411845 | Link, L., 2379, F. & R. | 1.50 |
| 411843 | Link, L., 2359, side rail | 1.30 |
| 411841 | Link, L., 2379, side rail, F. | .45 |
| 405111 | Link, L., 2359, side rail, C. | 3.00 |
| 401769 | Link, L., 2379, side rail, C. | 1.00 |
| 405114 | Link, 2359, cyl. | 4.50 |
| 401766 | Link, 2379, cyl. | .80 |
| 391951 | Wthstp., L., side rail, C. | 2.40 |
| 417409 | Retainer, L., side rail, C. | N.P. |
| 391949 | Wthstp., L., side rail, F. | 2.75 |
| 417413 | Retainer, L., side rail, F. | N.P. |
| 391947 | Wthstp., L., side rail, R. | 2.20 |
| 417411 | Retainer, L., side rail, R. | .80 |
| 410158 | Valve assy. | 4.50 |
| 396882 | Cyl. assy. | 9.00 |
| 391169 | Bracket, L., cyl. mount | 1.00 |
| 410376 | Seal, cyl. shaft, felt | .08 |
| 410332 | Seal, cyl. shaft, rubber | .40 |
| 396035 | Yoke, cyl. | .80 |




### REAR LAMP ASSEMBLY


| Item | Part No. | Description | Price |
|---|---|---|---|
| | 416045 | Tail & stop, L. | 7.50 |
| 1 | 416071 | Gasket, body | .40 |
| | 413401 | Reinfmt., L., fender | .25 |
| 2 | 410619 | Body, in. | N.P. |
| 3 | 410618 | Body, out. L. | N.P. |
| 4 | 410624 | Cable & socket, L. | N.P. |
| | 410625 | Seal, cable, in. | N.P. |
| 5 | 410621 | Glass | 1.00 |
| | 410622 | Gasket, glass | .30 |
| 6 | 416048 | Extension mold., L. | 2.50 |
| | 416006 | Button, extension | N.P. |
| | 413453 | Retainer, extension | N.P. |

#### DIRECTIONAL LAMP

| Part No. | Description | Price |
|---|---|---|
| 416023 | Switch & cable | 5.00 |
| 416069 | Flasher | 1.30 |
| 416051 | Connector, flasher | .20 |
| 416058 | Bracket, connector | .10 |
| 416064 | Spacer, flasher | N.P. |

# WIRING 1949 SUPER and CUSTOM CONVERTIBLE PACKARD


## Series 2332, 2333. ALL BODY STYLES



*Wiring Diagram—Series 2332, 2333*

# PACKARD SUPER and CUSTOM CONVERTIBLE 1949 WIRING

## Series 2332, 2333. ALL BODY STYLES




*Frame Dimensions—Series 2332, 2333*

# FLAT RATE 1949 SUPER and CUSTOM CONVERTIBLE PACKARD

## Series 2332, 2333. ALL BODY STYLES

| Chilton Job No. | Chilton Labor Price |
|---|---|
| **A** | |
| 1 | 3.50 |
| 1a | |
| 2 | 3.00 |
| 3 | |
| 4 | 18.50 |
| 4a | |
| 4b | 2.00 |
| 4c | 4.50 |
| 5 | 10.00 |
| 5a | 3.00 |
| 5b | 6.00 |
| 5c | 4.00 |
| 5d | 7.50 |
| **A—continued** | |
| 6 | 15.00 |
| 7 | 2.00 |
| 8 | 1.50 |
| 9 | 4.00 |
| 10 | |
| 11 | 3.00 |
| 12 | |
| 13 | |
| 14 | |
| 15 | |
| 16 | 2.00 |
| 17 | 1.50 |
| 18 | 10.00 |
| **A—continued** | |
| 20 | 7.20 |
| 20x | 12.00 |
| **B** | |
| 1 | |
| 1a | |
| 2 | |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| **B—continued** | |
| 8 | |
| 9 | |
| 10 | |
| 11 | |
| 12 | |
| 13 | |
| 14 | |
| 15 | |
| **C** | |
| 1 | |
| 1a | |
| **C—continued** | |
| 2 | |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| 10 | |
| 11 | |
| 12 | |
| 13 | |
| 14 | |
| **C—continued** | |
| 15 | |
| **D** | |
| 1 | 3.50 |
| 1a | 3.00 |
| 2 | 2.50 |
| 3 | |
| 4 | 12.00 |
| 7 | |
| 7x | 110.00 |
| 19 | 13.00 |
| 20 | 4.00 |
| **E** | |
| 1 | |
| 2 | |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| 7x | |
| 8 | |
| 9 | |
| 9x | |
| 9y | |
| 10 | |
| **E—continued** | |
| 11 | |
| 12 | |
| 13 | |
| 14 | |
| 15 | |
| 16 | |
| 17 | |
| 18 | |
| 19 | |
| **F** | |
| 1 | 7.00 |
| 1a | 6.00 |
| **F—continued** | |
| 2 | 14.50 |
| 3 | 21.50 |
| 4 | 2.00 |
| 5 | 3.75 |
| 6 | 2.00 |
| 7 | 2.00 |
| 8 | 3.50 |
| 9 | |
| 10 | |
| 11 | 2.50 |
| 12 | |
| 13 | |
| 14 | 2.00 |
| **G** | |
| 1 | 100.00 |
| 2 | 25.00 |
| 3 | 28.50 |
| 5 | |
| 7 | 110.00 |
| 7x | |
| 8 | |
| 9 | |
| 10 | |
| 11 | |
| 12 | |
| 19 | 12.00 |

## STEERING GEOMETRY

*CASTER: Series 2332, 1½ to ½ degree negative, series 2333, 2½ to 1½ degree negative.*

*CAMBER: ¼ degree negative to ¼ degree positive.*

*TOE-IN: Zero to 1/16 inches.*

*KING PIN INCLINATION: 5 degrees 50 minutes.*

### *ADJUSTMENT*

*CASTER is controlled by full turns of the upper eccentric pin.*

*CAMBER is controlled by eccentric upper pin and full range is obtained in one-half turn.*

*TOE-IN should be adjusted at both tie-rods to centralize steering.*

