	INDEX NO.
MACHINE SCREWS OR BOLTS	
Machine Screw - Round Head	50.000
Machine Screw - Oval Head	50.001
Machine Screw - Flat Head	50.002
Machine Screw - Hex. Head	50.003
Machine Screw - Fillister Head	50.004
Machine Screw - Phillips Oval Head	50.025
Bolt - Carriage	50.050
Bolt - Stove & Nut (Round Head) (Flat Head)	50.070
Machine Screw - Slotted "Shakeproof"	50.080
Studs	50.090
Bolts - "U"	50.091
Bolts - Special Head	50.092
Bolts - Bumper	50.093
NUTS	
Nuts - Plain Hex.	50.100
Nuts - Castle	50.110
Nuts - Self Locking	50.120
Nuts - Special	50.150
WASHERS & COTTER KEYS	
Washer - Plain	50.200
Washer - Ferrules	50.210
Washer - STD. Lock	50.220
Washer - Shakeproof	50.230
Pin - Cotter	50.240
Washer - Spring	50.242
Washer - Countersunk	50.245
SCREWS - WOOD & METAL	
Screws P. K.	50.300
Screws - Set	50.320
RIVETS	
Rivet - Solid - Rd. Head	50.400
Rivet - Tubular	50.425

	INDEX NO.
MISCELLANEOUS	
Ball - Steel	50.525
Pin - Clevis	50.555
Pin - Dowel	50.556
Yoke End	50.560
Clips and Fasteners	50.600
Anti-Rattle Bumpers	50.615
Fasteners - Curtain	50.625
Bumpers - Door - (Rubber)	50.650
Loops - Footman	50.655
Gaskets - Annular	50.660
Hose	50.670
Clamps - Hose	50.675
Oilers	50.700
Oil Seals	50.701
Plugs - Hole	50.710
Plugs - Pipe	50.720
Fittings - Pipe	50.725
Pin - Straight	50.800
Pin - Grooved	50.805
Plugs - Welch	50.810
Welt	50.825
Blades - W. S. Wiper	50.835
Key - Woodruff	50.845
Key - Rectangular	50.846
Washer - Felt	50.847
Washer - Cork	50.848
ELECTRICAL	
Cable	50.900
Connectors	50.910
Terminal - Battery	50.915
Terminal - Wire	50.925
Rubber - Insulation	50.935
Grommets - Rubber	50.940
Washer - Rubber	50.945
Loom	50.950
Lamp Bulbs	50.960
Fuses - Electric	50.975
Plugs - Spark	50.980
Pin - Lock	50.990
Liners - Body	50.995

Packardinfo.com

50.000 MACHINE SCREW - ROUND HEAD



INDEX NO.	PART NO.	USE	A	B	C	D
6785			#4(.112)	3/8	40	5/16
5360			#4(.112)	1/2	40	13/32
7349			#6(.138)	3/16	32	1/8
6471			#6(.138)	1/4	32	1/4
5756			#6(.138)	1/4	40	1/4
6379			#6(.138)	5/16	32	1/4
7509			#6(.138)	3/8	32	5/16
5325			#6(.138)	1/2	32	1/2
6075			#6(.138)	5/8	32	9/16
6846			#8(.163)	1/8	32	1/16
7058			#8(.163)	5/8	32	1/2
6848			#8(.163)	3/16	32	3/16
351875			#8(.163)	7/32	24	7/32
5310			#8(.163)	1/4	32	7/32
6690			#8(.163)	5/16	32	1/4
351876			#8(.163)	11/32	24	11/32
5696			#8(.163)	3/8	32	5/16
6586			#8(.163)	1/2	32	3/8
	6862		#8(.163)	5/8	32	7/16
7567			#8(.163)	3/4	32	11/16
6470			#8(.163)	7/8	32	13/16
7355			#8(.163)	1-1/4	32	1-3/16
7776			#8(.163)	1	32	15/16
7964			#10(.190)	1/4	24	3/16
5631			#10(.190)	1/4	32	1/4
7799			#10(.190)	3/16	32	1/8
	7369		#10(.190)	5/16	32	1/4
7568			#10(.190)	3/8	24	5/16
349293			#10(.190)	3/8	32	3/8
7302			#10(.190)	7/16	32	3/8
7564			#10(.190)	1/2	24	7/16
5869			#10(.190)	1/2	32	3/8
5870			#10(.190)	1/2	32	7/16
7569			#10(.190)	5/8	24	9/16
7901			#10(.190)	5/8	32	1/2
337991			#10(.190)	3/4	32	3/4
6837			#10(.190)	7/8	24	13/16
5346			#10(.190)	7/8	32	13/16
5286			#10(.190)	1	32	15/16
3729			#10(.190)	1-1/4	32	13/16
6784			#10(.190)	1-5/8	32	1-1/2
6782			#10(.190)	2	32	1-1/2
	7357		#12(.215)	3/8	24	1/4
7575			#12(.215)	5/8	24	9/16
6775			#12(.215)	7/16	24	3/8
6715			1/4	1/4	28	1/4
5463			1/4	5/16	20	7/32
7477			1/4	3/8	20	9/32
6562			1/4	3/8	28	1/4
5853			1/4	7/16	28	1/2
6588			1/4	1/2	28	13/32
6612			1/4	1/2	20	7/16
6389			1/4	1/2	28	7/16
6507			1/4	9/16	28	7/16
6584			1/4	5/8	28	9/16
7078			1/4	3/4	28	21/32
6882			1/4	3/4	28	11/16
8098			1/4	1	18	
7753			1/4	1	28	29/32
5473			1/4	1-1/4	28	1-5/32
6390			1/4	1-1/2	28	1-1/4
6872			1/4	2-1/4	28	1-1/4
6729			5/16	1/2	24	13/32
5381			5/16	7/8	24	25/32
7914			5/16	2-1/4	24	1-1/4

50.001 MACHINE SCREWS - OVAL HEAD



INDEX NO.	PART NO.	USE	A	B	C	D
5319			#4(.112)	5/16	40	1/4
8020			#4(.112)	1/2	40	3/8
6253			#4(.112)	5/8	40	1/2
197493			#6(.138)	1/4	32	5/32
7522			#6	3/8	32	15/64
7923			#6	1/2	32	23/64
6706			#6(.138)	1/2	40	3/8
311453			#6(.138)	7/32	32	3/16
7596			#6	5/8	32	31/64
314206			#6(.138)	3/4	32	1/2
218525			#8(.163)	3/4	32	1/2
5322			#8	5/16	32	5/32
5312			#8(.163)	3/8	32	1/4
7084			#8	1/2	32	11/32
362530			#8(.163)	15/16	32	1-1/8
6159			#8(.163)	9/16	32	1/2
7734			#10	1/4	32	9/64
6165			#10	5/16	32	9/64
7763			#10	3/8	32	13/64
6716			#10	7/16	32	17/64
5497			#10(.190)	1/2	32	1/2
6264			#10(.190)	1-3/8	32	3/8
316070			#10(.190)	7/16	32	7/64
6884			#10	7/16	24	17/64
6790			#10	1/2	24	21/64
8030			#10(.190)	1/2	32	1/2
6619			#10(.190)	9/16	32	7/16
6779			#10	5/8	32	29/64
6818			#10	3/4	32	37/64
6585			#10(.190)	7/8	32	5/8 N.P.
7590			#10	1	32	53/64
8013			#10(.190)	1-1/8	32	5/8
6239			#10	1-1/2	32	1-1/4
7392			#10	2	24	1-1/4
8029			#12	5/16	24	1/8
5697			1/4	7/16	28	5/16
6079			1/4	1/2	28	23/64
8024			1/4	1/2	20	5/16
6303			1/4	1/2	28	3/8
7369			1/4	5/8	20	25/64
5780			1/4	5/8	28	1/2 Chrome
8003			1/4	3/4	28	5/8
4517			1/4	3/4	20	33/64
6836			1/4	1	20	49/64
5941			1/4	1	28	49/64
6575			1/4	1-1/8	28	1/2
5717			1/4	1-1/4	20	1-1/64
5962			1/4	1-1/2	28	1-1/4
8015			1/4	1-3/4	20	1-1/4
8036			1/4	1-7/8	28	1/2
8012			1/4	2-1/4	28	1-1/4
5888			1/4	2-1/2	28	1-1/4

Many "UTILITY" parts are interchangeable. Order superseding numbers shown in "USE" column.

50.001 MACHINE SCREWS - OVAL HEAD (Continued)

INDEX NO.	PART NO.	USE	A	B	C	D
6610			5/16	5/8	24	21/64
308079			3/8	1-27/32	24	1-1/4
308080			3/8	1-7/16	24	15/16

50.002 MACHINE SCREWS - FLAT HEAD



INDEX NO.	PART NO.	USE	A	B	C	D
6536			#4	5/16	40	3/16
5264			#4(.112)	3/8	40	9/32
5709			#4	1/2	40	3/8
7216			#8	1/4	32	5/32
7350			#6	1/4	32	11/64
6521			#8	3/16	32	3/32
7055			#8(.163)	7/32	32	3/16
		7354	#8(.163)	5/16	32	1/4
6460			#8	3/8	32	7/32
6591			#8(.163)	1/2	32	3/8
5788			#8	5/8	32	15/32
6094			#8(.163)	3/4	32	23/32
6520			#8(.163)	7/8	32	25/32
5662			#8(.163)	1-1/8	32	5/8
7358			#10	1/4	24	9/64
6980			#10	3/8	24	13/64
8208			#10(.190)	3/8	32	13/64
8212			#10(.190)	7/16	32	5/16
6111			#10	7/16	24	17/64
5948			#10	1/2	24	21/64
8206			#10(.190)	1/2	32	3/8
8224			#10(.190)	5/8	32	7/16
5950			#10	3/4	24	37/64
8207			#10	3/4	32	37/64
7532			#10	7/8	32	45/64
5951			#10	7/8	24	45/64
5952			#10	1	24	53/64
5580			#10(.190)	1	32	53/64
8203			#10(.190)	1-3/16	32	1/2
7027			#10(.190)	1-1/4	32	5/8
5639			#10	1-1/2	24	1-1/4
7408			#10	1-1/2	32	1-1/4
6970			#10(.190)	1-3/4	32	3/4
6698			#12	7/8	24	11/16
6851			#12	1	24	13/16
6853			#12	2-1/4	24	1-1/4
5699			1/4	13/32	28	3/8
5963			1/4	7/16	28	3/16
6544			1/4	1/2	20	23/64
6727			1/4	1/2	28	1/2
5701			1/4	9/16	28	7/16
6488			1/4	5/8	28	15/32 Cone Pt.
7093			1/4	5/8	20	25/64
8201			1/4	5/8	28	15/32
6230			1/4	11/16	28	35/64
5277			1/4	3/4	20	1/2
8214			1/4	3/4	28	19/32
8226			1/4	7/8	20	41/64
6666			1/4	7/8	28	41/64
6665			1/4	1	28	49/64
3695			1/4	1	20	49/64
184866			1/4	1-1/8	28	1/2
5854			1/4	1-1/4	28	1-1/64
3684			1/4	1-1/4	20	1-1/64
3660			1/4	1-1/2	20	1-1/4
308858			1/4	1-1/2	28	1-1/2
3663			1/4	1-3/4	20	1-1/4
8234			1/4	1-3/4	28	1-1/4
3664			1/4	2	20	1-1/4
8204			1/4	2	28	1
3666			1/4	2-1/4	20	1-1/4
8211			1/4	2-1/4	28	1-1/4
3668			1/4	2-1/2	20	1-1/4
5693			1/4	2-1/2	28	3/4
6711			5/16	1/2	18	5/16
6494			5/16	1-1/2	18	1-7/32
6542			5/16	5/8	18	1/2
6644			5/16	5/8	24	1/2
6577			5/16	3/4	24	15/32
5487			5/16	7/8	24	1/2 Cone Pt.
6561			5/16	1	24	23/32
308069			5/16	1	24	5/8 Cone Pt.
6496			5/16	1-1/8	24	1/2
7141			5/16	1-1/4	24	31/32
8246			5/16	1-3/8	24	1/2
7364			5/16	1-1/2	24	1-7/32
6636			5/16	1-11/16	18	3/4
5524			5/16	1-3/4	24	1-1/4
6492			5/16	1-7/8	18	3/4
6126			5/16	1-7/8	24	9/16
6677			5/16	2	18	1-1/4
6495			5/16	2-1/4	18	1-1/4
6675			5/16	2-3/4	18	1-1/4
6493			5/16	3	18	1-1/4
7365			5/16	2	24	1-1/4
7366			5/16	2-1/4	24	1-1/4
6457			5/16	2-1/2	24	1-1/4
7367			5/16	2-3/4	24	1-1/4
7368			5/16	3	24	1-1/4
6728			3/8	1-11/16	24	9/16

50.003 MACHINE SCREWS - HEX. HEAD



INDEX NO.	PART NO.	USE	A	B	C	D
6353			#8(.163)	9/32	32	1/4
5198			#10(.190)	5/8	32	9/16
6739			#10(.190)	1/2	32	7/16
5353			#10(.190)	13/32	32	9/32
6736			#10(.190)	7/8	32	11/16
6515			#10(.190)	1/2	24	7/16
333723			#10(.190)	1	32	15/16
6167			1/4	3/8	20	5/16
6603			1/4	3/8	28	3/8
6650			1/4	1/2	20	1/2
7129			1/4	1/2	20	7/16
7871			1/4	5/16	28	1/4
5430			1/4	1/2	28	7/16
7767			1/4	5/8	20	9/16
6649			1/4	9/16	20	1/2
5873			1/4	9/16	28	3/16
7370			1/4	9/16	28	1/2

Many "UTILITY" parts are interchangeable. Order superseding numbers shown in "USE" column.

50.003 MACHINE SCREWS - HEX. HEAD - (Continued)

INDEX NO.	PART NO.	USE	A	B	C	D
	7415		1/4	5/8	28	9/16
	311418		1/4	5/8	20	1/2 Spl. Hd.
	7870		1/4	5/8	28	1/2
	7789		1/4	11/16	20	5/8
	6599		1/4	11/16	28	3/8
	6268		1/4	5/16	28	3/8
	6882		1/4	23/32	28	3/8
	5297		1/4	3/4	20	11/16
		5469	1/2	3/4	28	9/16
	5471		1/4	3/4	28	1/2
		5470	1/4	3/4	28	11/16
		5574	1/4	7/8	28	1/2
		7248	1/4	7/8	20	1/2
	5574		1/4	7/8	28	3/4
	7837		1/4	7/8	20	13/16
	6131		1/4	1	20	15/16
	7790		1/4	1	20	15/16
	6602		1/4	1	28	3/4
	6583		1/4	1	28	15/16
	6617		1/4	1-1/8	20	5/8
	7842		1/4	1-1/4	28	5/8
	7346		1/4	1-3/8	20	15/16
	5390		1/4	1-3/8	28	15/16
	7373		1/4	1-1/2	28	15/16
	7356		1/4	1-1/2	20	15/16
	7859		1/4	1-1/2	28	5/8
	5992		1/4	1-5/8	28	5/8
	5852		1/4	1-7/8	28	15/16
	5816		1/4	1-15/16	28	5/8
	5971		1/4	2	28	15/16
	7860		1/4	2-1/4	28	5/8
	7592		1/4	2-3/4	28	15/16
	7137		5/16	3/8	18	9/32
	7374		5/16	1/2	18	13/32
		7804	5/16	1/2	18	7/16
	7089		5/16	1/2	24	7/16
	300622	7236	5/16	9/16	18	15/32
	6989		5/16	9/16	18	1/2
	303504		5/16	9/16	24	15/32
	303468		5/16	9/16	24	9/16
	328658		5/16	5/8	10	5/8
	6185		5/16	5/8	18	7/16
	7139		5/16	5/8	18	17/32
	6010		5/16	5/8	24	9/16
	6560		5/16	11/16	18	9/16
	6039		5/16	11/16	24	9/16
	7932		5/16	11/16	24	5/8
	302876		5/16	23/32	24	21/32
	7574		5/16	3/4	18	21/32
	5456		5/16	3/4	18	11/16
	7804		5/16	3/4	18	11/16
	5449		5/16	3/4	24	21/32
	5483		5/16	3/4	24	11/16
	331597		5/16	3/4	24	11/16 Cone Pt.
	316293		5/16	3/4	24	11/16
	302151		5/16	13/16	18	11/16
	325724		5/16	7/8	10	7/8
	6061		5/16	7/8	18	5/8
	6988		5/16	7/8	18	3/4
		5077	5/16	7/8	24	5/8
	5577		5/16	7/8	24	5/8
	7857		5/16	1	18	11/16
	304045		5/16	1	24	5/8
	6086		5/16	1	24	5/8
	6087		5/16	1	24	5/8 Zinc
	6334		5/16	1	24	5/8 N.P.
	7861		5/16	1	24	3/4

INDEX NO.	PART NO.	USE	A	B	C	D
	7376		5/16	1	18	29/32
	7937		5/16	1-1/8	18	1-1/16
	338651		5/16	1-1/8	18	7/8
	6242		5/16	1-1/8	24	11/16
	7278		5/16	1-1/8	24	11/16
	5566		5/16	1-1/8	24	11/16 Zinc
	6243		5/16	1-1/8	24	11/16 N.P.
	7828		5/16	1-1/8	24	1
	5566		5/16	1-1/8	24	1-1/16
	7385		5/16	1-1/4	24	1-1/16
		8043	5/16	1-1/4	24	7/8
		5890	5/16	1-1/4	24	1/2
	7599		5/16	1-1/4	18	1-1/16
	7962		5/16	1-3/8	18	1-1/16
	300229		5/16	1-3/8	18	5/8
	5762		5/16	1-3/8	24	5/8
	5239		5/16	1-3/8	24	7/8
	338977		5/16	1-7/16	24	3/4
	6844		5/16	1-7/16	24	3/4
	336346		5/16	1-1/2	18	7/8
	6003		5/16	1-1/2	18	7/8
	6453		5/16	1-1/2	18	7/8 Zinc
	7377		5/16	1-1/2	18	1-1/16
	5909		5/16	1-1/2	24	7/8
	7815		5/16	1-1/2	24	7/8
	220783		5/16	1-1/2	24	3/8
	6177		5/16	1-5/8	24	3/4
	7760		5/16	1-5/8	24	1-1/16
	7782		5/16	1-3/4	24	1-1/16
	6566		5/16	1-3/4	18	3/4
	5907		5/16	1-3/4	24	7/8
	7741		5/16	1-3/4	18	1-1/16
	7744		5/16	1-7/8	18	1-1/16
	5753		5/16	1-7/8	24	3/4
	7957		5/16	2	18	1-1/16
	7386		5/16	2-1/4	24	1-1/16
	338934		5/16	2-3/8	24	24/32
	7864		5/16	2-1/4	24	7/8
	6678		5/16	2-1/4	18	1-1/16
	6831		5/16	2-1/2	18	1-1/16
	6832		5/16	2-1/2	18	11/16
	7816		5/16	2-1/2	24	1-1/16
	326881		5/16	2-15/32	24	1/2
	7959		5/16	2-3/4	24	1-1/16
	7238		5/16	3	18	1-1/16
	6943		5/16	3	24	1-1/16
	5692		3/8	1/2	24	7/16
	7866		3/8	5/8	16	1/2
	7874		3/8	5/8	24	1/2
	7746		3/8	11/16	24	5/8
	6689		3/8	3/4	16	9/16
		5919	3/8	3/4	24	1/2
	7749		3/8	3/4	24	11/16
	7579		3/8	3/4	16	21/32
	329373		3/8	25/32	24	1/2
	315173		3/8	13/16	20	5/8
	5958		3/8	13/16	24	5/8
	7818		3/8	7/8	24	9/16
		7244	3/8	7/8	16	5/8
	5893		3/8	7/8	16	25/32
	7387		3/8	7/8	24	13/16
	7388		3/8	1	24	15/16
	7833		3/8	1	16	7/8
	303311		3/8	1	24	5/8
	7819		3/8	1	24	11/16
	338524		3/8	1	24	3/4
		7243	3/8	1-1/8	16	1
	7853		3/8	1-1/8	24	5/8
	7793		3/8	1-1/8	16	1-1/32
	7080		3/8	1-1/8	24	1-1/16
	194182		3/8	1-3/16	24	39/64
	7389		3/8	1-1/4	24	1-3/16

Many "UTILITY" parts are interchangeable. Order superseding numbers shown in "USE" column.

rackinfo.com

50.003 MACHINE SCREWS - HEX. HEAD - (Continued)

INDEX NO.	PART NO.	USE	A	B	C	D
7847			3/8	1-1/4	16	1-5/32
210454			3/8	1-1/4	24	3/4
338576			3/8	1-1/4	24	3/4
7841			3/8	1-1/4	24	7/8
		7239	3/8	1-3/8	16	7/8
7820			3/8	1-3/8	24	7/8
7088			3/8	1-3/8	16	1-3/16
6491			3/8	1-3/8	24	1-3/16
6092			3/8	1-1/2	24	1-3/16
6524			3/8	1-1/2	16	1-1/8
6623			3/8	1-1/2	16	1-1/8
7822			3/8	1-1/2	24	5/8
5394			3/8	1-1/2	24	5/8
6709			3/8	1-9/16	24	11/16
		7241		1-5/8	16	5/8
6739			3/8	1-5/8	16	1-1/4 Cone Pt.
6662			3/8	1-5/8	16	1-3/16
324791			3/8	1-3/4	16	3/4 Drilled Hd.
6454			3/8	1-3/4	16	1
308632			3/8	1-3/4	16	1
6606			3/8	1-3/4	24	1-3/16
		5919	3/8	1-3/4	24	7/8
6754			3/8	1-7/8	24	1-3/16
7769			3/8	1-7/8	24	1-3/16
7240			3/8	1-7/8	16	1-3/16
6896			3/8	2	16	1
334664			3/8	2	16	3/4 Drilled Hd.
300954			3/8	2-1/8	16	5/8
6800			3/8	2-1/8	16	1-1/2 Cone Pt.
6269			3/8	2-1/4	24	1
7045			3/8	2-1/4	16	1-3/16
6641			3/8	2-1/2	16	1-3/8
6871			3/8	2-1/2	16	1-3/4 Cone Pt.
5260			3/8	2-1/2	24	1-3/16
7845			3/8	2-3/4	24	1-3/16
302803			3/8	2-3/4	16	9/16
5089			3/8	2-3/4	16	1-3/16
6987			3/8	3	16	1-3/16
6621			3/8	3	16	1-3/8
7030			3/8	3	16	1-3/4 Cone Pt.
7245			3/8	3	24	1-3/16
310722			3/8	3-3/16	16	1
308566			3/8	3-3/16	24	1 Cone Pt.
6624			3/8	3-1/4	16	5/8
6891			3/8	3-3/8	16	1-3/4 Cone Pt.
315059			3/8	3-1/2	16	3/4
6799			3/8	4-1/4	16	1-5/8
300931			3/8	4-1/2	16	7/8
6838			3/8	5	16	1-5/8
302725			7/16	1/2	20	7/16
		7247	7/16	3/4	14	1/2
300162			7/16	13/16	20	15/32
7952			7/16	7/8	20	3/4
7391			7/16	7/8	20	13/16
6443			7/16	1	20	3/4
6981			7/16	1	20	15/16
7884			7/16	1-1/8	20	3/4
7884			7/16	1-1/8	20	1-1/16
		7246	7/16	1-1/8	14	3/4
7925			7/16	1-1/8	14	1-1/32
7927			7/16	1-1/4	14	1-5/32
7951			7/16	1-1/4	20	3/4
7770			7/16	1-1/4	20	1-3/16
			7/16	1-9/32	20	13/16
		5929	7/16	1-1/2	20	5/8
7929			7/16	1-1/2	20	1-5/16
		7885	7/16	1-3/8	20	3/4
7886			7/16	1-3/4	20	1-5/16
5561			7/16	1-7/8	20	1-5/16
302076			7/16	1-31/32	20	3/4
5740			7/16	2	20	1-5/16
7873			7/16	2-1/4	20	1-5/16
302075			7/16	2-9/32	20	3/4
7772			7/16	2-1/2	20	1-5/16
		7950	7/16	2-1/2	24	3/4
315760			7/16	2-9/16	20	3/4
7603			7/16	3-1/4	20	1-5/16
302212			7/16	3-3/8	14	3/4
315271			7/16	3-19/32	14	3/4
303133			7/16	3-5/8	20	3/4
316649			7/16	3-7/8	20	3/4
324342			7/16	4-1/32	14	3/4
5562			7/16	4-1/4	20	3/4
324109			7/16	4-5/16	20	1-1/8
315270			7/16	4-1/2	20	3/4
324329			7/16	4-43/64	20	1-1/8
324335			7/16	4-3/4	20	1-1/8
324328			7/16	5-13/64	20	1-1/8
		7250	1/2	5/8	13	1/2
7561			1/2	7/8	20	13/16
6288			1/2	15/16	20	3/4
7778			1/2	1	13	7/8
6759			1/2	1	20	13/16
300903			1/2	1-1/8	20	15/16
			1/2	1-1/4	20	1 Chrome
6516			1/2	1-1/4	20	1 Zinc
7865			1/2	1-3/8	20	3/4
6077			1/2	1-3/8	20	1-5/16
6158			1/2	1-1/2	20	1-7/16
7879			1/2	1-1/2	13	1-1/8
341664			1/2	1-1/8	20	3/4
7892			1/2	1-5/8	20	1-7/16
6425			1/2	1-3/4	20	1-7/16
6895			1/2	1-7/8	13	1-7/16
302564			1/2	1-7/8	20	3/4
6908			1/2	2	20	1-7/16
234578			1/2	2-3/16	20	3/4
6765			1/2	2-1/4	20	3/4
6032			1/2	2-1/4	20	1-7/16
7956			1/2	2-1/2	20	1-7/16
234606			1/2	2-9/16	20	3/4
7948			1/2	2-3/4	20	1-7/16
338985			1/2	2-7/8	20	3/4
7955			1/2	3	20	1-7/16
7876			1/2	3-1/4	20	1-7/16
7779			1/2	3-1/2	20	1-7/16
348251			1/2	3-3/4	20	9/16
6083			1/2	4	20	1-7/16
6755			9/16	2-7/8	18	3/4
6246			9/16	3	18	3/4
7019			9/16	3-3/8	18	7/8
354515			5/8	2-7/8	18	3/4
7883			5/8	3/4	18	5/8
335026			5/8	3-3/4	18	3/4
303073			5/8	4-3/32	18	3/4
304128			3/4	1-1/4	16	3/4
6456			3/4	1-5/8	16	1-1/8

Many "UTILITY" parts are interchangeable. Order superseding numbers shown in "USE" column.

Packardinfo.com

50.004 MACHINE SCREWS - FILLISTER HEAD



INDEX NO.	PART NO.	USE	A	B	C	D
7707			#6(.138)	1/4	40	7/32
7348			#6	7/16	32	3/8
7102			#6	3/8	32	5/16
7756			#6	1/2	32	7/16
	7351		#8(.163)	1/8	32	1/8
	7352		#8(.163)	1/4	32	3/16
6353			#8(.163)	9/32	20	3/16
6667			#8	3/8	32	5/16
5619			#8(.163)	5/16	32	1/4
6348			#8	7/16	32	3/8
	7353		#8(.163)	1/2	32	7/16
5243			#8(.163)	11/16	32	1/2
5714			#8	1	32	15/16
7459			#10	1/4	24	3/16
7718			#10(.190)	1/4	32	7/32
5840			#10(.190)	3/8	24	5/16
	7361		#10(.190)	3/8	32	5/16
7145			#10	7/16	24	3/8
5389			#10(.190)	7/16	32	3/8
5236			#10	1/2	24	7/16
6071			#10(.190)	1/2	32	1/2 Bdg. Hd.
7710			#10(.190)	5/8	32	1/2
5243			#10(.190)	11/16	32	1/2
6340			#10	3/4	24	11/16
5835			#10	3/4	32	11/16
	5966		#10(.190)	7/8	32	3/4
5392			#10	1	32	15/16
7721			#10(.190)	1	32	1/2
7716			#10	1-1/4	32	1-3/16
6820			#12(.216)	3/8	24	5/16
7562			#12	7/8	24	13/16
7074			#12	1	24	15/16
5959			1/4	3/8	28	9/32
6998			1/4	1/16	28	1/16
6355			1/4	7/16	20	11/32
6725			1/4	1/2	28	13/32
311418			1/4	5/8	20	1/2 Spl. Hd.
5928			1/4	5/8	20	1/2
7700			1/4	5/8	28	1/2
	5928		1/4	5/8	20	9/16
6093			1/4	3/4	20	21/32
7704			1/4	3/4	28	9/16
6174			1/4	7/8	28	25/32
6632			1/4	1	28	29/32
5784			1/4	1-1/4	28	1-5/32
7727			1/4	1-1/2	28	1-1/4
5344			1/4	1-3/4	28	1-1/4
7039			1/4	1-7/8	28	3/4
7134			1/4	7/8	20	25/32
7724			1/4	1	20	29/32
7701			5/16	1	24	3/4
7719			5/16	1	18	29/32
7558			5/16	1-1/4	24	1-5/32

50.025 PHILLIPS OVAL HEAD SHEET METAL SCREWS COUNTERSUNK



INDEX NO.	PART NO.	USE	A	B	C
6762			#4(.114)	3/8	.225 Flat Hd.
318928			#4(.114)	5/8	.225
349640			#4(.114)	3/4	.225
6766			#6(.141)	7/8	.268
6768			#6(.141)	1-1/8	.268
6771			#8(.168)	5/8	.308
6828			#8(.168)	3/4	.308
349394			#8(.168)	3/4	.308
6924			#8(.168)	7/8	.279
342860			#8(.168)	7/8	.308
6773			#8(.168)	1	.308
6761			#8(.168)	1-1/8	.279
6767			#8(.168)	1-1/8	.308
7031			#8(.168)	1-1/2	.308
333794			#9(.181)	1-1/8	.268
6791			#10(.194)	1/2	.385
6914			#10(.194)	1	.385
314759			#10(.194)	1-1/2	.385
342838			#12(.221)	1-1/4	.430 Spl.Shoulder
7045			#12(.221)	1-3/8	.430

50.025 OVAL HEAD MACHINE SCREWS COUNTERSUNK PHILLIPS HEAD CONE POINT



INDEX NO.	PART NO.	USE	A	B	C
6792			#6(.141)	1	40 Chrome Plate
6770			#8(.164)	5/8	32 Chrome Plate
6892			#8(.164)	11/16	32 Chrome Plate
6870			#8(.164)	3/4	32 Chrome Plate
6774			#8(.164)	7/8	32 Chrome Plate
6789			#8(.164)	1	32 Chrome Plate
6845			#10(.190)	5/8	24 Chrome Plate
6274			#10(.190)	5/8	32 Chrome Plate
6643			#10(.190)	1	32 Chrome Plate
6802			#10(.190)	5/8	32 Chrome Plate
6801			#10(.190)	27/32	32 Chrome Plate
6843			1/4	5/8	20 Chrome Plate
6888			1/4	7/8	20 Chrome Plate
235770			1/4	5/8	28 Chrome Plate
6873			1/4	5/8	28 Flat Head
6488			1/4	5/8	28 Flat Head
326497			5/16	1-7/8	24 Flat Head
326498			5/16	1-9/16	24 Flat Head
328598			5/16	2-1/8	24 Flat Head
6890			3/8	2-3/4	16 Flat Head

Many "UTILITY" parts are interchangeable. Order superseding numbers shown in "USE" column.

INDEX NO.	PART NO.	USE	DESCRIPTION

50.025 PHILLIPS OVAL HEAD MACHINE SCREWS COUNTERSUNK



	A Dia.	B Length	C Thread	D Head Dia.
6786	#6(.138)	3/8	32	.279 Chrome
6795	#6(.138)	5/8	40	.279 Chrome
6817	#8(.164)	3/8	32	.332 Chrome
6806	#8(.164)	1-1/4	32	.332 Chrome
6929	#8(.164)	1-5/8	32	.332 Chrome
7056	#10(.190)	5/8	24	.385 Chrome
241581	#10(.190)	7/16	32	.385 Chrome
6884	#10(.190)	7/16	24	.385 Chrome
6790	#10(.190)	1/2	24	.385 Chrome
6779	#10(.190)	5/8	32	.385 Chrome
6995	#10(.190)	5/8	32	.507 Chrome
6818	#10(.190)	3/4	32	.385 Chrome
6931	#10(.190)	1-5/8	32	.385 Chrome
353350	1/4	1/2	20	.507 Chrome
6992	1/4	5/8	28	.507 Chrome
6993	1/4	3/4	28	.507 Chrome
353351	1/4	1	20	.507 Chrome
6798	1/4	1-1/8	28	.507 Nickle
6932	5/16	1/2	18	.600 Binding Hd.
6763	5/16	5/8	24	.600 Flat Head

50.050 CARRIAGE BOLTS



	A	B	C	D
6535	#10(.190)	1/2	32	3/8
6925	#10(.190)	3/4	32	5/8
169049	1/4	5/8	28	1/2
6569	1/4	5/8	20	1/2
7612	1/4	3/4	28	3/8
324411	1/4	3/4	28	5/8
6714	1/4	1	28	3/4
7303	1/4	1-1/2	20	3/4
7604	1/4	1-5/8	28	3/4
7613	1/4	1-3/4	28	3/4
7620	1/4	2-3/4	28	13/16
303155	5/16	5/8	18	3/16
7085	5/16	3/4	18	1/2
7608	5/16	3/4	28	5/8
7943	5/16	1	18	3/4
8039	5/16	1-1/2	24	3/4
7565	3/8	7/8	16	1/2
6524	3/8	1-1/2	16	3/4
6525	3/8	2	16	1-1/8
7607	3/8	2-1/8	24	7/8
6622	3/8	2-1/2	16	1-3/8
6526	3/8	3	16	1-1/2
330689	7/16	1-3/8	20	29/32

INDEX NO.	PART NO.	USE	DESCRIPTION

50.070 BOLTS - ROUND HEAD STOVE AND NUT



	A	B	C
4443	1/8	3/4	3/8
4425	3/16	1/4	3/16
4426	3/16	3/8	1/4
4427	3/16	1/2	7/16
4428	3/16	5/8	5/8
4429	3/16	3/4	3/8
4430	3/16	7/8	11/16
4431	3/16	1-1/4	5/8
4444	3/16	1-3/8	1/2
4432	3/16	1-1/2	5/8
4433	1/4	1/2	3/8
4434	1/4	5/8	3/8
4435	1/4	3/4	3/8
4436	1/4	7/8	3/4
4437	1/4	1	7/8
4438	1/4	1-1/8	5/8
4439	1/4	1-1/4	5/8
4448	1/4	3	3/4
4447	1/4	3-1/2	3/4
4449	1/4	5	1
4452	5/16	5/8	1/2
4441	5/16	1-1/8	1-1/8
4442	5/16	1-1/2	3/4

50.070 BOLTS - FLAT HEAD STOVE AND NUT



	A	B	C
4495	1/8	5/8	1/2
4494	1/8	3/4	5/8
4491	3/16	5/8	1/2
4475	3/16	3/4	9/16
4476	3/16	1-1/8	1/2
4477	1/4	1	1/2
4492	1/4	1-1/8	1/2
4479	1/4	1-1/4	5/8
4480	1/4	1-3/8	5/8
4481	1/4	2	1
4482	1/4	2-1/8	3/4
4483	1/4	2-1/4	3/4
4493	1/4	2-1/2	1
4496	1/4	2-3/4	1
4484	1/4	3	3/4
4486	1/4	4	1
4487	1/4	5	1
4488	7/16	1-3/8	3/4
4489	7/16	1-5/8	7/8

PackardInfo.com

Many "UTILITY" parts are interchangeable. Order superseding numbers shown in "USE" column.

INDEX NO.	PART NO.	USE	DESCRIPTION

50.080 SHAKEPROOF SCREWS HEX. HEAD



	A	B	C
354245	#10-16	1/2	Washer Head
333343	#10-24	3/8	Rd. Head
328557	#10-24	1/2	1/2
326174	#10-24	7/8	Flat Head
353257	#10-24	1	Flat Head
341557	#12-11	1/2	Washer Head
229302	1/4-20	1/2	1/2
304711	5/16-18	9/16	1/2
303939	5/16-18	9/16	1/2 Cadmium Plate
232791	5/16-18	5/8	1/2
232363	5/16-18	7/8	1/2
304318	3/8-16	1/2	9/16

50.090 STUDS



	A	B	C
324881	27/64	1/4-20	-
6326	21/32	1/4-28	1/4-28
6396	15/16	1/4-28	1/4-28
6015	1-1/8	5/16-18	5/16-24
351749	1-1/4	1/4-28	-
362390	1-3/16	1/4-28	-
6438	1-1/4	5/16-18	5/16-24
6115	1-11/32	5/16-18	5/16-24
6504	1-13/32	5/16-18	5/16-24
326933	1-7/16	5/16-24	5/16-24Hex.Center
175911	1-9/16	5/16-24	5/16-24
300427	1-7/8	5/16-18	5/16-24
6233	1-7/8	5/16-24	5/16-24
6050	2	5/16-18	5/16-24
320481	2-3/32	5/16-18	5/16-24
240185	2-3/8	5/16-24	5/16-24
6386	2-27/32	5/16-18	5/16-24
316777	2-7/8	5/16-18	Blank
240745	3	5/16-24	5/16-24
216467	3-5/16	5/16-18	5/16-24
6016	1-9/32	3/8-16	3/8-24
303291	1-3/8	3/8-16	3/8-24
5666	1-13/32	3/8-16	3/8-24
6012	1-13/32	3/8-24	3/8-24
316930	1-17/32	3/8-16	3/8-24
348503	1-9/16	3/8-16	3/8-24
177923	1-5/8	3/8-16	3/8-24
327723	1-3/4	3/8-16	3/8-24
300171	2	3/8-16	3/8-24
190475	2-1/4	3/8-16	3/8-24
351538	2-5/8	3/8-16	3/8-24
330770	4-19/32	3/8-16	3/8-24
7026	1-5/16	7/16-20	7/16-14
132695	1-31/32	7/16-20	7/16-14
341119	3-3/32	7/16-20	7/16-20
303154	3-1/4	7/16-20	7/16-20

50.090 STUDS - (Continued)

	A	B	C
125485	3-7/16	7/16-20	7/16-20
158688	4-25/32	7/16-20	7/16-14
304439	2-7/8	1/2-20	1/2-20
330109	2-7/8	1/2-20	1/2-20
158687	4-5/32	1/2-13	1/2-13
158686	4-15/16	1/2-13	1/2-20
302359	3-1/4	5/8-18	5/8-18

50.091 "U" BOLTS



	E	A	B	C. to C
302456	1/4	1	28 7/16	3/4
304633	1/4	1	28 1/2	11/16
338152	1/4	1	28 3/4	33/64
316604	5/16	2-41/64	24 7/8	2-11/32
300501	5/16	2-57/64	24 7/8	2-19/32
315971	5/16	1-1/16	24 1/2	Spl.
333484	5/16	3-1/4	18 1	2-3/8
333485	5/16	2-27/32	18 3/4	2-3/16
333486	5/16	2-9/16	18 3/4	1-29/32
335261	5/16	2-29/32	18 3/4	2
348110	5/16	3-3/8	18 3/4	2-5/8

50.092 BOLTS SPECIAL

	A	B	C	D
324905	#10(.190)	3/8	32	5/16-Sq. oval hd.
182215	#10(.190)	7/16	32	Sq. hd.
223587	#10(.190)	7/16	32	Sq. hd.
338455	#12(.216)	1-7/8	28	7/16-Slotted head
338454	#12(.216)	1-7/8	28	7/16-Slotted head
302495	1/16	1-5/32	1/2-20	1/2-Drilled
354918	1/4	17/32	28	7/16
338495	1/4	5/8	20	7/16
300779	1/4	23/32	20	5/16-2 dia.
304325	1/4	23/32	20	5/16-2 dia.
225929	1/4	3/4	28	5/16-Sq. oval hd.
354230	1/4	25/32	24	3/8
6645	1/4	1-1/8	28	15/16-Dowel Pt.
6989	5/16	9/16	18	9/16
310751	5/16	3/4	18	5/8-Allen Hd.
307278	5/16	5/8	24	1/2
300631	5/16	23/32	18	1/2 Slotted
316159	5/16	9/16	24	3/8 Hex.
335346	5/16	1-1/2	18	1/2 Hex.
230298	5/16	25/32	18	1/4-Hex. hd.
311525	5/16	25/32	24	3/8
330329	5/16	13/16	18	11/16-Drilled
311386	5/16	1	18	7/8-Allen Hd.
242236	5/16	3-1/2	24	Rd. Head
338465	5/16	4-5/64	24	1/2-Dowel Pt.

Many "UTILITY" parts are interchangeable. Order superseding numbers shown in "USE" column.

50.092 BOLTS SPECIAL (Continued)

INDEX NO.	PART NO.	USE	A	B	C	D
	304567		3/8	25/32	24	7/16-Rd. Hd.
	300756		3/8	7/8	24	1/2-Groove-Center
	243965		3/8	15/16	24	Spl. Drilled through
	326500		3/8	1	24	Knurl Head
	348078		3/8	1-3/16	24	5/8
	316523		3/8	1-5/16	24	Rd. Flat Head
	324147		3/8	1-5/16	24	Rd. Flat Head
	351882		1/2	1-1/8	20	Fill Hd. Pointed
	351828		1/2	1-5/8	20	1-3/16-Spl. Head
	335079		1/2	2-1/32	7/16-20	1/2 Body-7/16THd.
	320987		1/2	2-1/4	18	1-1/2
	326778		9/16	2-7/8	18	Hd.Flat On One Side
	347431		9/16	3-27/32	1/2-20	9/16 Rd. Flat Head

50.093 BUMPER BOLTS



INDEX NO.	PART NO.	USE	A	B	C	D	Remarks
	348929		5/8	2-1/4	18	1	Hex. oval head
	232398		1/2	2	20	7/8	Hex. oval head
	304913		1/2	1-15/32	20	1-3/16	Hex. oval head
	315912		1/2	2-1/8	20	7/8	Hex. oval head
	340118		1/2	1-11/16	20	7/8	Hex. oval head
	341878		1/2	2-5/16	20	7/8	Hex. oval head
	348881		1/2	1-7/8	20	7/8	Hex. oval head
	351532		1/2	2-1/2	20	7/8	Hex. oval head
	358712		1/2	1-1/4	20	1-3/16	Hex. Head
	362285		1/2	1-1/2	20	1-3/16	Hex. Head
	316446		1/2	1-1/4	20	7/8	Acorn head
	341899		1/2	1-1/8	20	13/16	Acorn head
	341884		1/2	1-1/4	20	7/8	Acorn head
	315816		1/2	2-5/8	20	1	Acorn head
	303468		5/16	9/16	24	9/16	Slotted end 7/16 head
	316159		5/16	9/16	24	9/16	Slotted end 3/8 head
	303627		9/16	3-7/8	18	1-1/8	Acorn head

50.100 NUTS - PLAIN



INDEX NO.	PART NO.	USE	A	B	C	D
	7000		#4(.112)	3/32	1/4	40
	302985		#5(.125)	3/32	1/4	40
	7001		#6(.138)	7/64	5/16	40
	6474		#8(.163)	7/64	5/16	32
	7002		#8(.163)	1/8	5/16	32
	7336		#10(.190)	1/8	3/8	24
	6103		#10(.190)	1/8	3/8	32
	7003		#10(.190)	1/8	5/16	32
	6718		#12(.216)			
	7941		#12(.216)	5/32	7/16	24
	341272		1/4	1/8	7/16	32
		7325	1/4	3/16	1/2	20
	7004		1/4	7/32	7/16	28
	7304		1/4	1/4	1/2	20
		7251	1/4	1/4	1/2	28
	308769		1/4	3/4	7/16	20
	239617		1/4	1/8	7/16	20
	337273		5/16	1-3/32	5/8	24
	335513		5/16	3/16	7/16	24
	202218		5/16	7/32	9/16	24
	7005		5/16	17/64	1/2	24
	3018		5/16	17/64	1/2	20
	7305		5/16	5/16	19/32	18
	3020		3/8	1/4	1/2	24
		7258	5/16	3/16	1/2	24
	7006		3/8	21/64	9/16	24
		7306	3/8	3/8	11/16	16
	3026		3/8	3/8	5/8	18
	205429		3/8	13/32	7/16	24 Brass
	239081		3/8	15/32	9/16	24
		7699	3/8	3/8	11/16	24
	326264		7/16	1/8	5/8	27
	367567		7/16	1/8	9/16	28
		7252	7/16	3/16	5/8	20
		7254	7/16	1/4	5/8	1/4
	7261		7/16	3/8	5/8	14
	3056		7/16	3/16	5/8	18
		7007	7/16	3/8	5/8	20
	7007		7/16	3/8	5/8	20
	3032		1/2	1/4	5/8	18
		7257	1/2	1/4	3/4	20
	114608		1/2	5/8	3/4	20
	7259		1/2	7/16	3/4	13
	7008		1/2	7/16	3/4	20
	7262		9/16	31/64	7/8	12
	7009		9/16	31/64	7/8	18
	316669		9/16	3/16	7/8	18
	7309		9/16	9/16	31/32	12
	323468		9/16	5/16	7/8	18
	302255		9/16	3/16	3/4	18
	7010		5/8	35/64	15/16	18
	303789		5/8	27/64	15/16	18
	213642		5/8	3/8	15/16	18
	7264		3/4	21/32	1-1/16	10
	232604		11/16	3/8	1-1/16	16
	7012		3/4	21/32	1-15/16	16
	300584		3/4	3/8	1-1/16	16
	335380		3/4	15/32	1-1/4	20
	302247		7/8	7/16	1-7/16	14
	219752		7/8	27/64	1-5/16	14
	7265		7/8	49/64	1-1/4	9
	7014		7/8	49/64	1-1/4	14
	7266		1	7/8	1-7/16	8
	7016		1	7/8	1-7/16	14

Many "UTILITY" parts are interchangeable. Order superseding numbers shown in "USE" column.

50.110 NUTS - CASTLE



INDEX NO.	PART NO.	USE	A	B	C	D
7104			1/4	9/32	28	7/16
7105			5/16	21/64	24	1/2
7106			3/8	13/32	24	9/16
6916			3/8	7/32	24	9/16
348079			3/8	21/64	24	9/16
7107			7/16	29/64	20	5/8
7108			1/2	9/16	20	3/4
303515			1/2	7/16	20	3/4
7109			9/16	39/64	18	7/8
348937			9/16	1/2	18	1-1/4
7110			5/8	23/32	18	15/16
196878			5/8	1/2	18	15/16
7112			3/4	13/16	16	1-1/16
303481			3/4	1/2	16	1-1/4
351531			3/4	21/32	16	1-5/16
303841			3/4	1/2	16	1-1/4
311935			3/4	9/16	16	1-1/4
303913			7/8	29/32	14	1-1/2
219752			7/8	27/64	14	15/16

50.120 HEX. SELF LOCKING NUTS



INDEX NO.	PART NO.	USE	A	B
7155			1/4-20	7/16
7162			1/4-28	7/16
7163			5/16-18	1/2
6900			5/16-24	1/2
7164			3/8-16	9/16
6902			3/8-24	9/16
6903			7/16-20	5/8
6917			7/16-14	5/8
335394			7/16-20	5/8
330111			1/2-20	3/4
7165			1/2-13	3/4
7166			9/16-12	7/8
326641			9/16-18	7/8
7167			5/8-11	15/16
326794			5/8-18	15/16
311935			3/4-16	1-1/4

50.150 NUTS - SPECIAL



INDEX NO.	PART NO.	USE	A	B
314151			#8-32	Clinch Nut
342929			#8-32	Sleeve Nut
353228			#8-32	Button Head
305613			#10-24	1/2 x 3/4 Screw Boss
324759			#10-24	Timmerman
327344			#10-24	Timmerman
348916			#10-32	17/32 Pal Nut
224668			#10-32	Blind Nut
6951			#10-32	Acorn Nut
231032			#10-32	3/8 Square Nut
340655			3/16	3/8 x 5/8 Timmerman
335787			3/16	1/2 x 3/4 Timmerman
308644			1/4	1/2 x 5/16 Screw Boss
324882			1/4-20	Timmerman
340154		7155	1/4-20	Marsden
328663			1/4-20	1/4 Clinch Nut
303456			1/4-20	Blind
7069			1/4-20	Square
6668			1/4-28	Square
211909			1/4-28	Screw Boss
314874			1/4-28	Clinch Nut
220964			1/4-28	9/16 Clinch Nut
199045			1/4-28	9/16 Screw Boss
224251			5/16-24	Screw Boss
310405			5/16-24	Sleeve Nut
329530			5/16-24	1/2 x 1/2 long
302481			5/16-24	5/8 Rd. Head
335514			5/16-24	7/16 Grooved
315999			5/16-24	9/16 x 15/16Screw Boss
5665			5/16-24	Blind
328523			5/16-24	Blind Nut
342145			5/16-24	Collar
308547			5/16-24	Square
314915			3/8-16	3/8 Nut & Lockwasher
328617			3/8-24	Serrated Nut
330754			3/8-24	9/16 Pal Nut
239081			3/8-24	Spl. Lock
305739			3/8-24	Blind
6350			3/8-24	Blind
347743			7/16-14	Hex. Spl.
		7159	7/16-18	Marsden
335705			7/16-20	5/8 Grooved
205769			1/2	Blind
320563			1/2-20	3/4 Nut & Washer
304970			1/2-20	1 Screw Boss
302619			1/2-20	Clinch Nut
302620			1/2-20	Clinch Nut
309859			1/2-20	Clinch Nut
310638			1/2-20	Collar Nut
326641			9/16-18	Marsden
326814			5/8-18	1-3/8 x 3/16 Thick
354611			5/8-18	1-1/4 Sleeve
324035			5/8-18	Clinch Nut

Many "UTILITY" parts are interchangeable. Order superseding numbers shown in "USE" column.

Packardinfo.com

50.200 WASHER - PLAIN



INDEX NO.	PART NO.	USE	Dia. of Bolt	A	B	C
	7328		#6	5/32	3/64	3/8
	6387		#8	3/16	3/64	7/16
	7330		#10	1/4	3/64	9/16
	6757		#10	7/32	1/16	1/2
	3905		1/8	9/64	1/16	3/8
	5435		5/32	11/64	.025	11/32
	3866		3/16	13/64	1/32	3/8
	3867		3/16	13/64	1/16	5/8
	3906		3/16	13/64	1/32	5/16
	6387		3/16	3/16	3/64	7/16
	6653		3/16	13/64	1/32	1/2
	6747		3/16	13/64	1/8	1/2
	6757		3/16	7/32	1/16	1/2
	101200		3/16	13/64	1/32	5/8
	225264		3/16	13/64	1/32	5/16
	229340		3/16	3/16	1/16	7/8
	308992		3/16	13/64	1/16	5/8
	349748		3/16	7/32	1/16	5/8
	7071		7/32	7/32	3/32	7/8
	3868		1/4	17/64	3/64	1/2
	3870		1/4	17/64	1/16	3/4
	3907		1/4	17/64	1/16	3/8
	5937		1/4	9/32	1/16	5/8
	6589		1/4	9/32	1/16	7/16
		7319	1/4	17/64	1/16	3/4
	302333		1/4	17/32	#10 Ga.	1
	307163		1/4	17/64	1/64	7/16
	307594		1/4	17/64	1/16	7/16
	316934		1/4	17/32	1/8	1
	317850		1/4	17/64	7/64	3/4
	330308		1/4	17/64	1/8	1-1/8
	354620		1/4	17/64	1/8	1-1/4
	3874		5/16	21/64	1/16	5/8
	3908		5/16	21/64	1/16	1/2
	3909		5/16	21/64	3/32	1
	5742		5/16	21/64	1/8	5/8
	6228		5/16	21/64	1/8	13/16
	6359		5/16	21/64	1/16	13/16
	6442		5/16	21/64	3/32	1-1/4
	7067		5/16	11/32	5/32	1-1/8
	137972		5/16	21/64	1/8	1-1/4
	176864		5/16	11/32	1/8	15/16
	206825		5/16	11/32	1/32	1/2
	239320		5/16	21/64	3/64	13/16 Fibre
		6359	5/16	21/64	1/16	7/8
	304841		5/16	5/16	3/32	7/8 Slotted
	304845		5/16	.3135	3/32	3/4
	310746		5/16	21/64	3/64	13/16 Fibre
	314704		5/16	5/16 Sq.	3/32	7/8
	314705		5/16	5/16 Sq.	3/32	7/8 Slotted
	326546		5/16	11/32	1/16	1-1/8
	338405		5/16	11/32	1/32	3/4
	353343		5/16	21/64	1/8	13/16
	356316		5/16	21/64	3/32	1-3/8 One Flat Side
	324772		11/32	23/64	3/32	13/16
	3877		3/8	25/64	1/16	3/4
	3911		3/8	25/64	1/16	5/8
	5049		3/8	13/32	3/32	1
	6748		3/8	25/64	7/64	7/8
	6781		3/8	25/64	1/8	13/16
	6899		3/8	13/32	3/16	1-1/4
	7064		3/8	7/16	1/16	1-1/4
	126770		3/8	25/64	1/8	1-1/8
	114055		3/8	25/64	5/32	3/4
	213021		3/8	13/32	1/4	1
	300129		3/8	13/32	5/32	1
	300644		3/8	25/64	.020	13/16
	302770		3/8	25/64	3/64	5/8
	303060		3/8	7/16	3/64	3/4
	371272		3/8	25/64	.029	1
	7320		3/8	7/16	5/64	1
	304059		3/8	13/32	1/16	1
	304843		3/8	7/16	.050	3/4 Fibre
	307536		3/8	25/64	1/64	5/8
	307538		3/8	25/64	3/64	5/8
	327328		3/8	13/32	3/16	1-3/8 One Flat Side
	328613		3/8	25/64	3/32	15/16
	328885		3/8	13/32	1/8	1-9/16
	337856		3/8	13/32	1/4	1-9/16
	337857		3/8	13/32	5/16	1-9/16
	337858		3/8	13/32	3/8	1-9/16
	337998		3/8	13/32	1/8	1-7/8
	338254		3/8	13/32	3/8	1
	338502		3/8	25/64	1/8	1-3/16
	338503		3/8	3/8	1/16	7/8
	353343		3/8	25/64	1/16	3/4
	3883		7/16	29/64	1/16	7/8
	5071		7/16	15/32	1/8	15/16
	6614		7/16	29/64	3/32	1
	348932		7/16	29/64	1/8	1-1/4
	7321		7/16	1/2	5/64	1-1/4
	367574		7/16	29/64	1/32	3/4
	103927		7/16	1/2	1/8	1-1/2
	136982		7/16	15/32	5/32	7/8

Many "UTILITY" parts are interchangeable. Order superseding numbers shown in "USE" column.

50.200 WASHER - PLAIN (Continued)

INDEX NO.	PART NO.	USE	Dia. of Bolt	A	B	C
	196801		7/16	29/64	5/32	7/8 Hardened
	328886		7/16	7/16	1/16	1-9/16
	328887		7/16	7/16	1/8	1-9/16
	335027		7/16	1/2	1/8	1-7/8
	337450		7/16	7/16	27/32	1-1/2
	337451		7/16	7/16	9/16	1-1/2
	342136		7/16	29/64	15/64	13/16
	3884		1/2	33/64	1/16	1
	3914		1/2	33/64	1/16	3/4
	111921		1/2	17/32	1/8	1
	337569		1/2	17/32	1/32	7/8
	7329		1/2	17/32	3/32	1-1/16
	213902		1/2	33/64	3/16	1 N.P.
	7322		1/2	9/16	7/64	1-3/8
	221981		1/2	9/16	1/8	1-7/8
	239041		1/2	33/64	5/32	7/8
	239566		1/2	17/32	1/32	7/8
	303943		1/2	9/16	.005	1
	304914		1/2	33/64	3/16	1
	304962		1/2	33/64	3/16	1
	310825		1/2	33/64	1/4	1-3/8
	328614		1/2	33/64	3/32	15/16
	347462		1/2	33/64	.093	1-1/4
	3918		9/16	37/64	1/16	13/16
	7323		9/16	5/8	7/64	1-1/2
	7331		9/16	19/32	3/32	1-3/16
	3891		5/8	41/64	1/8	1-1/4
	3916		5/8	41/64	1/8	1-1/8
	225609		5/8	21/32	1/16	1-1/16
	7324		5/8	11/16	9/64	1-3/4
	7332		5/8	21/32	3/32	1-5/16
	303083		5/8	41/64	1/8	1-9/16
	304605		5/8	41/64	9/32	1-1/4
	309841		5/8	41/64	1/16	1-1/8
	338405		5/8	11/32	1/32	3/4
	3864		11/16	45/64	1/8	1-5/16
	325448		11/16	45/64	.020	1-1/16
	331591		11/16	45/64	.015	29/32
	3893		3/4	49/64	1/8	1-1/2
	104456		3/4	13/16	1/4	2-1/8
	113865		3/4	49/64	1/16	1-1/4
	114316		3/4	25/32	3/64	1-1/8
	300063		3/4	25/32	5/16	1-11/16
	300910		3/4	49/64	3/16	1-7/16
	338692		3/4	49/64	1/32	1-1/2
	7325		3/4	13/16	9/64	2
	7326		7/8	15/16	5/32	2-1/4
	351098		7/8	57/64	1/16	1-1/4
	7333		7/8	15/16	1/8	1-5/8
	3865		7/8	57/64	1/8	1-5/8
	126985		7/8	57/64	5/32	1-3/4
	232277		7/8	57/64	1/16	1-5/8
	300322		7/8	57/64	1/8	1-1/2
	323775		7/8	.881	.035	1.273
	3896		1	1-1/64	1/8	1-7/8
	7327		1	1-1/16	5/32	2-1/2
	7334		1	1-1/16	1/8	2
	338496		1-3/16	1-13/64	1/16	1-5/8
	354196		1-3/4	1-49/64	7/64	3
	314243		1/8x1/2S lot		3/32	19/32 Rectangular Hole
	349481		1/8x1/2S lot		1/8	7/8 Rectangular Hole

50.210 COUNTERSUNK SCREW FERRULES



INDEX NO.	PART NO.	USE	DESCRIPTION
	218522	#6	Nickle Plate
	235771	#6	Chrome Plate
	199786	#8	Chrome Plate
	31337	#8	Nickle Plate
	164239	#10	Chrome Plate
	31338	#10	Nickle Plate
	65610	#10	Black

50.220 WASHER - STD. LOCK

INDEX NO.	PART NO.	USE	Dia. of Bolt	A	B	C
	7153		#4	7/64	3/16	1/32
	7151		#4	7/64	13/64	1/32
	5459		#4	7/64	3/16	.022
	3516		#6(.138)	9/64	15/64	1/32
	5695		#8(.163)	11/64	17/64	3/64
	5225		#8	11/64	17/64	1/32
	5500		#10	13/64	21/64	3/64
	7154		#12	15/64	23/64	1/16
		5225	5/32	11/64	11/32	1/32
	5500		3/16	13/64	11/32	3/64
		7154	7/32	15/64	27/64	3/64
	5502		1/4	17/64	7/16	1/16
		5504	5/16	21/64	15/32	1/16
		7150	5/16	11/32	19/32	3/32
	5506		3/8	25/64	21/32	3/32
	6166		3/8	25/64	21/32	1/8
	5508		7/16	29/64	13/16	1/8
	5728		7/16	15/32	25/32	1/16
	6188		1/2	17/32	7/8	1/16
	7337		1/2	17/32	7/8	1/8
	5512		9/16	37/64	1	5/32
	5514		5/8	41/64	1-1/16	5/32
	303065		5/8	21/32	1-1/16	13/64
	5516		11/16	45/64	1-7/32	3/16
	5518		3/4	49/64	1-9/32	3/16
	5520		7/8	57/64	1-7/16	3/16
	5522		1	1-1/64	1-21/32	1/4
	7152		1	1-1/32	1-11/16	5/16

Many "UTILITY" parts are interchangeable. Order superseding numbers shown in "USE" column.

INDEX NO.	PART NO.	USE	DESCRIPTION

50.230 SHAKEPROOF LOCKWASHERS - External and Internal Teeth



	Bolt	Hole	O.D.	Thickness
5818	#10(.190)	.195	.597	.036
7063	#10(.190)	.221	.730	.038
5817	#14	.257	.885	.045
6611	1/4	.257	.694	.036
6070	5/16	.323	1.26	.051
7049	5/16	.330	.875	.035

50.230 SHAKEPROOF LOCKWASHERS - External Teeth

	Bolt	Hole	O.D.	Thickness
6499	#4(.112)	.113	.290	.018
6473	#6(.138)	.141	.322	.018
6472	#8(.163)	.167	.380	.021
6056	#10(.190)	.195	.410	.024
6686	#12(.216)	.221	.475	.021
5447	1/4	.253	.510	.030
5385	5/16	.320	.610	.030
6597	3/8	.383	.694	.035
7179	7/16	.464	.760	.037
6680	1/2	.510	.900	.050
5793	9/16	.575	.985	.040
7180	5/8	.663	1.070	.047
6805	5/8	.769	1.25	.032
7181	11/16	.728	1.155	.047
5629	3/4	.795	1.245	.052
6033	3/4	.781	1.64	.062
7182	13/16	.861	1.315	.052
7183	7/8	.927	1.410	.057
7184	1	1.060	1.620	.066

INDEX NO.	PART NO.	USE	DESCRIPTION

50.230 SHAKEPROOF LOCKWASHERS - Internal Teeth



	Bolt	Hole	O.D.	Thickness
7185	#4(.112)	13/64	.270	.019
7186	#6(.138)	7/32	.295	.019
5861	#8(.163)	.167	.345	.018
6397	#10(.190)	.195	.317	.018
7054	#10(.190)	.190	.593	.030
5935	#10(.190)	.200	.370	.018
6719	#12(.215)	.225	.400	.021
6587	1/4	.199	.500	.025
6751	1/4	.265	.530	.035
6788	1/4	.260	.600	.040
6699	1/4	.253	.507	.025
6783	5/16	.320	.820	.029
5899	5/16	.320	.470	.024
6044	5/16	.320	.610	.030
6986	3/8	.397	.734	.045
6048	3/8	.384	.690	.035
5806	7/16	.448	.788	.035
6045	7/16	.448	.850	.064
6673	1/2	.510	.900	.040
6047	1/2	.530	.880	.055
6969	1/2	.520	.890	1.00
7235	5/16	.337	.607	.047
6574	9/16	.575	1.035	.062
6674	9/16	.596	.965	.042
6439	5/8	.641	1.135	.061
6322	5/8	.641	1.062	.045
6717	11/16	.705	1.165	.077
6679	11/16	31/32	1.155	.047
6361	3/4	.765	1.265	.505
220881	3/4	.780	1.06	.020
7187	13/16	1-5/64	1.315	.052
6280	7/8	.897	1.410	.055
6030	1	1.025	1.625	.062

50.230 LOCKWASHERS - SHAKEPROOF - Countersunk External Teeth



	Bolt	Hole	O.D.	Thickness
7229	#4	.123		.019
5400	#6(.138)	.140	.295	.018
5860	#8(.163)	.167	.350	.018
5491	#10(.190)	.195	.375	.021
7230	#12	.230	7/16	.022
7231	#16	.287	33/64	.026
5396	1/4	.255	.462	.021
224887	1/4	.328	.750	.025
7232	3/8	.398	25/32	.033

Many "UTILITY" parts are interchangeable. Order superseding numbers shown in "USE" column.

50.230 LOCKWASHERS - SHAKEPROOF - Countersunk External Teeth (Continued)

INDEX NO.	PART NO.	USE	Bolt	Hole	O.D.	Thickness
	310589		3/16	.193	.500	.021
	5899		5/16	.320	.470	.024 Internal
	6629		5/16	.320	.610	.025 Internal
	6527		5/16	.328	.624	.025
	7233		7/16	.462	55/64	.037
	7234		1/2	.527		.304

50.240 PIN-COTTER



INDEX NO.	PART NO.	USE	A	B
	6432		3/64	5/16
	7190		1/16	5/16
	4690		1/16	3/8
	7191		1/16	7/16
	4280		1/16	1/2
	6968		1/16	5/8
	4282		1/16	3/4
	7192		1/16	7/8
	4285		1/16	1-1/8
	4289		3/32	1/2
	4291		3/32	3/4
	4292		3/32	7/8
	324619		3/32	1
	4294		3/32	1-1/8
	4295		3/32	1-1/4
	4290		3/32	5/8
	5446		3/32	2
	4302		1/8	1/2
	4304		1/8	3/4
	4306		1/8	1
	4307		1/8	1-1/8
	4308		1/8	1-1/4
	4309		1/8	1-3/8
	4310		1/8	1-1/2
	6744		1/8	1-5/8
	4312		1/8	1-3/4
	4305		1/8	7/8
	4319		5/32	1
	4325		5/32	1-3/4
	4320		5/32	1-1/8
	7193		5/32	1-1/4
	7194		5/32	1-3/8
	7195		5/32	1-1/2
	7196		5/32	1-5/8
	7197		5/32	2
	7198		5/32	2-1/4
	6580		3/16	3/4
	4330		3/16	1
	4333		3/16	1-1/2
	4334		3/16	1-3/4
	4335		3/16	2
	4336		3/16	2-1/4
	4337		3/16	2-1/2
	4332		3/16	1-1/4
	4340		7/32	1
	7199		7/32	2
	7220		7/32	2-1/4
	4346		7/32	2-1/2
	7221		7/32	2-3/4
	4348		7/32	3
	4351		1/4	1-1/2
	4354		1/4	2-1/4
	7224		1/4	2-1/2
	7225		1/4	2-3/4
	4357		1/4	3
	7226		5/16	2-1/2
	7227		5/16	2-3/4
	7228		5/16	3

50.242 SPRING WASHERS



INDEX NO.	PART NO.	USE	A	B	C	Stock
	190192		13/64	11/32	.040	.010
	194732		17/64	13/32	.040	.132
	314537		21/64	15/32	.078	.0125
	330344		11/32	5/8	.073	.010
	190291		11/32	1/2	.073	.010
	338406		11/32	13/16	.073	.0125
	349054		3/8	19/32	1/16	.010
	363213		13/32	1-1/4	1/8	.021
	312667		13/32	7/8	.125	.031
	190191		13/32	9/16	.075	.025
	211809		29/64	21/32	3/64	.020
	307823		29/64	5/8	.054	.010
	310129		29/64	5/8	.084	.010
	304834		29/64	43/64	5/64	....
	207750		15/32	11/16	.075	.0125
	237895		17/32	15/16	1/8	.0125
	335227		17/32	13/16	.075	.025
	202056		17/32	13/16	.040	.0125
	335721		19/32	7/8	3/32	.0125
	225615		21/32	1	3/32	.0125
	333189		25/32	1-1/8	.125	.0219
	191995		13/16	1-1/16	1/8	.031
	324051		53/64	1-1/2	9/16	.031
	302409		1-33/64	2-1/16	.155	1/16
	304714		1-41/64	2-3/16	.155	1/16

50.245 WASHER - COUNTERSUNK



INDEX NO.	PART NO.	USE	A	B	C	D
	307822		1/2	1/16	19/64	82°
	235255		3/4	.028	1/4	82°
	307630		7/8	.062	9/32	82°
	307753		9/16	3/32	5/16	82°
	307640		1	.030	11/32	82°
	328869		1-1/4	3/16	25/32	82°

Many "UTILITY" parts are interchangeable. Order superseding numbers shown in "USE" column.

50.300 PARKER-KALON SCREWS - Binding Head Type A



INDEX NO.	PART NO. USE	A	B	C	
6953		#4(.114)	3/8	.226	
	7639	#4(.114)	1/2	.214	
7017		#6(.141)	3/8	.268	
	7642	#6(.141)	3/8	.268	
	7643	#6(.141)	1/2	.268	
308975		#6(.141)	7/8	.268	
7028		#6(.141)	3/4	.271	
	7649	#8(.168)	3/8	.316	
307510		#8(.168)	1/2	.316	
7750		#8(.168)	5/8	.321	
	7653	#10(.194)	3/8	.369	
6620		#10(.194)	1/2	.369	
6756		#10(.194)	5/8	.369	
	7654	#10(.194)	3/4	.369	
	7655	#10(.194)	1	.369	
	7656	#10(.194)	1-1/2	.369	
7791		#10(.194)	1-3/4	.374	
7930		#12(.215)	3/4	.424	
328739		#12(.215)	1-1/2	.369	Spl Shoulder
6859		#14(.254)	1/2	.479	
6860		#14(.254)	5/8	.479	
6518		1/4	1-1/2		Sq. Hd. Lag Screw

50.300 PARKER-KALON SCREWS - Binding Head Type Z

INDEX NO.	PART NO. USE	A Size	B Length	C Head Dia.
307515		#4(.114)	3/16	.224
	7641	#4(.114)	1/4	.224
	7645	#6(.139)	3/16	.268
	7646	#6(.139)	1/4	.268
308802		#6(.139)	3/8	.268
	7647	#6(.139)	5/8	.268
	7648	#6(.139)	3/4	.268
311597		#8(.166)	1/4	.316
	7651	#8(.166)	3/8	.316
	7652	#8(.166)	1/2	.316
327225		#8(.166)	1/2	.316
	7657	#10(.189)	1/4	.369
	7658	#10(.189)	1/2	.369
6567		#10(.189)	5/8	.369
	7659	#10(.189)	3/4	.369
	7660	#10(.189)	1	.369
6954		#10(.189)	1-1/2	.369
6996		#12(.215)	1/2	.424
6922		#14(.246)	3/4	.484
6856		#14(.246)	5/8	.484

50.300 PARKER-KALON SCREWS - Countersunk Oval Head Type Z



INDEX NO.	PART NO. USE	A Size	B Length	C Head Dia.
	7672	#4(.114)	1/2	.224
6628		#6(.139)	5/8	.268
6598		#6(.139)	7/8	.268
6626		#6(.139)	1-1/4	.268
218826		#6(.139)	1/2	.268
6613		#8(.166)	3/8	.316
	7676	#8(.166)	3/4	.316
218759		#8(.166)	7/8	.316
	7678	#8(.166)	1-1/4	.316
218756		#8(.166)	1-1/2	.316
218757		#8(.166)	1-3/4	.316
218758		#8(.166)	1-1/8	.316
324208		#8(.166)	7/8	.268

50.300 PARKER-KALON SCREWS - Oval Head Countersunk Type A



INDEX NO.	PART NO. USE	A	B	C
7117		#4(.114)	1/2	.227
	7671	#4(.114)	3/4	.224
	7673	#6(.141)	3/8	.268
7017		#6(.141)	1/2	.273
	7674	#6(.141)	5/8	.268
7586		#6(.141)	3/4	.273
6595		#6(.141)	7/8	.268
7757		#8(.168)	3/8	.321
7031		#8(.168)	1/2	.321
7732		#8(.168)	5/8	.321
6913		#8(.168)	3/4	.321
7032		#8(.168)	7/8	.321
	7675	#8(.168)	1	.316
7921		#8(.168)	1-1/4	.321
6877		#10(.194)	1/2	.369
6827		#10(.194)	3/4	.369
6876		#10(.194)	1	.369
314012		#10(.194)	1-1/8	.369
	7679	#10(.194)	1-1/2	.369
7783		#10(.194)	1-3/4	.374
6842		#12(.221)	5/8	.419

Many "UTILITY" parts are interchangeable. Order superseding numbers shown in "USE" column.

50.300 PARKER-KALON SCREWS - Countersunk Flat Head Type Z



INDEX NO.	PART NO.	USE	A Size	B Length	C Head Dia.
212366			#4(.114)	3/16	.224
		7684	#6(.139)	3/4	.268
		7688	#8(.166)	3/8	.316
	6615		#8(.166)	1/2	.316
	7042		#8(.166)	1	.316
		7694	#10(.189)	3/8	.369
		7695	#10(.189)	3/4	.369
	6883		#10(.189)	7/8	.369
		7696	#12(.215)	1/2	.419

50.300 PARKER-KALON SCREWS - Countersunk Flat Head Type A



INDEX NO.	PART NO.	USE	A	B	C
	7739		#4(.114)	1/4	.227
		7680	#4(.114)	3/8	.224
	7545		#4(.114)	1/2	.227
		7682	#6(.141)	1/2	.168
		7683	#6(.141)	3/4	.268
		7685	#8(.168)	3/8	.316
		7686	#8(.168)	1/2	.316
	307171		#8(.168)	5/8	.316
		7687	#8(.168)	3/4	.316
	7581		#8(.168)	7/8	.321
	7582		#8(.168)	1-1/2	.321
		7689	#10(.194)	3/8	.369
	7051		#10(.194)	1/2	.374
	6625		#10(.194)	5/8	.369
		7690	#10(.194)	3/4	.369
		7691	#10(.194)	1	.369
		7692	#10(.194)	1-1/4	.369
		7693	#10(.194)	1-3/4	.369

50.300 PARKER-KALON SCREWS - Round Head Type Z



INDEX NO.	PART NO.	USE	A Size	B Length	C Head Dia.
	199774		#2(.088)	3/16	.163
		7661	#4(.114)	1/4	.210
	169519		#4(.114)	3/8	.210
		7663	#4(.114)	1/2	.210
	199247		#4(.114)	3/8	.345
	7542		#4(.114)	5/8	.213
		7665	#6(.139)	5/16	.251
		7666	#6(.139)	3/8	.251
	194780		#6(.139)	7/16	.251
	187356		#6(.139)	3/8	.251 Drive Scr.
	7563		#8(.168)	1/4	.302
		7669	#10(.189)	3/8	.345
		7670	#10(.189)	1/2	.345

50.300 PARKER-KALON SCREWS - Round Head Type A



INDEX NO.	PART NO.	USE	A	B	C
	6819		#4(.114)	3/8	.210
	6829		#4(.114)	5/8	.210
		7664	#6(.141)	1/4	.251
	5984		#6(.141)	3/8	.251
	7747		#6(.141)	1/2	.256
	7417		#8(.168)	1/2	.302
	305836		#8(.168)	1/4	.297
		7667	#8(.168)	3/8	.297
		7668	#8(.168)	5/8	.297
	6687		#8(.168)	3/4	.297
	6478		#10(.194)	3/8	.345
	7119		#10(.194)	5/8	.350
		7681	#14(.254)	3/4	.450

50.320 SET SCREW



INDEX NO.	PART NO.	A	B
	147910	#8-32	5/8 Slotted Head
	353149	#8-32	5/8 Phillips Head
	6631	#12-24	3/16 Slotted Head
	341271	1/4-32	15/16 Slotted Head
	300095	5/16-24	1-1/4 Hex. Head
	180803	3/8-24	1-5/16 Square Head
	328759	3/8-24	1-5/16 Headless
	349654	3/8-24	2 Headless
	213315	9/16-18	1-5/16 Slotted Head

50.340 WOODSCREWS - FLAT HEAD

Part No. Iron	Part No. Brass	A No.	B Length
4814	2938	10	5/8
4819		10	3/4
4824		10	7/8
4827	4544	10	1
4832		10	1-1/4
5224		10	1-1/2
5222		10	1-3/4
5223		10	2
4534		10	2-1/2
5755		10	3
6733		10	3-1/2
4532		12	5/8

Many "UTILITY" parts are interchangeable. Order superseding numbers shown in "USE" column.

50.340 WOODSCREWS - Flat Head (Continued)

Part No. Iron	Part No. Brass	A No.	B Length
4886		12	3/4
4885	5263	12	7/8
4829	5439	12	1
4834	5682	12	1-1/4
4837		12	1-1/2
4840		12	1-3/4
5306		12	2
5362		12	2-1/4
4888		12	2-1/2
4889		12	3
6737		12	3-1/2
5445		14	3/4
4538		14	1
4601	4904	14	1-1/4
4839		14	1-1/2
4842		14	1-3/4
4845		14	2
4850		14	2-1/4
6367		14	3-1/2
5758		16	1-1/4
5957		16	1-1/2
8244		16	1-3/4
6857		18	1-3/4
5062		18	3-1/2

50.400 RIVET - ROUND HEAD - SOLID



	A	B	C
5858	3/16	5/8	5/16
4153	3/16	7/16	3/8
4157	3/16	3/4	5/16
304776	3/16	1-1/16	3/8
302862	1/4	7/16	9/16
4163	1/4	5/8	27/64
4174	5/16	3/4	9/16
4175	5/16	7/8	9/16
330716	3/8	17/64	21/32
6441	3/8	7/8	21/32
4187	3/8	1	49/64
4188	3/8	1-1/8	49/64
4189	3/8	1-1/4	49/64

50.425 RIVETS - TUBULAR



	A	B	C	Illus.
348639	1/8	9/64	7/32	1
6178	1/8	11/32	7/32(solid)	3
6532	1/8	3/16	7/32	1
335151	1/8	7/32	7/32 Black	2
6962	9/64	3/16	5/16	3
6531	9/64	1/4	3/8 N.P.	1
5996	9/64	1/4	3/8 Black	2

	A	B	C	Illus.
6541	9/64	1/4	Split	-
128819	9/64	7/32	5/16 Black	1
167451	9/64	7/32	5/16 N.P.	1
311430	9/64	7/32	1/4	3
311431	9/64	7/32	1/4	3
48317	9/64	9/32	5/16 Black	2
311419	9/64	5/16	1/4	3
21964	9/64	5/16	Black	3
335106	9/64	5/16	Black	2
58268	9/64	5/16	N.P.	1
173356	9/64	5/16	N.P.	1
6064	9/64	7/16	Split	-
194607	9/64	7/16	Black	3
303074	9/64	1/4	19/64	3
304993	5/32	11/64	23/64	3
228617	5/32	7/32	23/64 Brass	3
303504	5/32	13/64	23/64 Brass	3
139521	5/32	7/16	7/16 Split	-
331974	3/16	5/32	5/16	2
6528	3/16	3/16	27/64	1
351665	3/16	3/16	27/64	2
6956	3/16	3/16	27/64 Zinc P.	1
6957	3/16	3/16	27/64 Black	1
6533	3/16	5/16	3/8 N.P.	1
4403	3/16	3/8	Flat Hd.	3
4152	3/16	3/8	Rd. Hd.	1
6549	3/16	3/8	3/8	2
220815	3/16	17/32	3/8	2
6651	3/16	1-1/2	3/8	2
310145	1/4	1/4	Flat Hd. Shoulder	2
302862	1/4	7/16	9/16	2
4161	1/4	1/2	Split	-
5713	1/4	5/8	1/2 Solid	3
5109	5/16	7/8	5/8	3

50.525 STEEL BALL

Piece Number	Diameter
5033	.250
303279	.3105
5079	.3125
300550	.3437
5034	.375

50.555 CLEVIS PINS



	A	B	C
7523	3/16	11/32	5/16
221438	3/16	3/8	5/16
180523	3/16	7/16	5/16
304452	3/16	31/64	5/16
6557	3/16	1-7/32	5/16
326568	1/4	1/2	11/32
7524	1/4	43/64	3/8
5265	1/4	1-7/32	3/8
5792	5/16	1/2	7/16
6198	5/16	11/16	7/16

Many "UTILITY" parts are interchangeable. Order superseding numbers shown in "USE" column.

50.555 CLEVIS PINS(Continued)

INDEX NO.	PART NO. USE	A	B	C
7525		5/16	13/16	7/16
330698		5/16	29/32	7/16
219116		5/16	59/64	7/16
303505		5/16	1-7/16	7/16
309834		3/8	33/64	1/2
7526		3/8	15/16	1/2
304707		3/8	31/32	1/2(grooved head)
7059		3/8	1-1/8	1/2
7527		7/16	1-1/16	9/16
7528		1/2	1-31/64	5/8

50.556 DOWEL PINS



INDEX NO.	PART NO. USE	A	B
338639		1/4	3/16
167992		5/32	3/16
4724		1/2	3/16
111980		13/32	7/32
304775		9/16	1/4
4754		1-1/4	1/4
300500		11/16	1/4
114673		1/2 (Drilled .189)	5/16-3/8
6384		3/4	5/16
215640		3/4	3/8
6343		13/16	3/8
353285		15/16 (Spring Dowel)	25/64
146303		1-1/4	1/2

50.560 YOKE END



INDEX NO.	PART NO. USE	A	B	C	D	E
7513		10-32	1-9/16	3/16	7/16	3/16
316812#		10-32	1-9/16	1/8	7/16	3/16
354183#		10-32	1-9/16	3/16	7/16	3/16
315925		10/32	1-9/16	1/8	7/16	3/16
335542°		10-32	1-15/16	3/16	7/16	3/16
335385°		10-32	2-1/2	1/8	7/16	5/16
335984°		10/32	2-1/2	3/16	7/16	3/16
333722		1/4-28	2-1/4	11/32	3/4	5/16
330970		5/16-24	1-15/64	7/16	27-32	5/16
333891		5/16-24	2-1/4	7/32	5/8	21/64
308215		5/16-24	1-7/8	11/32	3/4	5/16
330697		5/16-24	2-1/4	7/16	27/32	5/16
7515		5/16-24	2-1/4	11/32	3/4	5/16
7516		3/8-24	2-1/2	7/16	7/8	3/8

50.600 MOULDING AND TRIM FASTENERS



335359 307040 307059



306129 306177 349623



335369 307041 341410



306179 306150 337671

Many "UTILITY" parts are interchangeable. Order superseding numbers shown in "USE" column.

INDEX NO.	PART NO.	USE	DESCRIPTION

50.600 MOULDING AND TRIM FASTENERS -(Continued)











INDEX NO.	PART NO.	USE	DESCRIPTION











PackardInfo.com

Many "UTILITY" parts are interchangeable. Order superseding numbers shown in "USE" column.

50.600 MOULDING AND TRIM FASTENERS - (Continued)





50.600 CLIP - BOLTLESS



INDEX NO.	PART NO.	USE	DESCRIPTION
		Tube Or Cable Size	
157696		1/8 or 3/16-Hole 11/32	7/8 x 11/16 Style 24
320547		3/16	23/32 x 1
207246		3/16	7/8 x 11/16
231157		1/4	53/64 x 11/16 Double
302134		1/4	7/8 x 11/16
320296		1/4 x 1/4	1-3/32 x 11/16 Double
320297		1/4 x 3/8	1-1/8 x 11/16 Double
320294		5/16	7/8 x 11/16
209611		3/8	7/8 x 11/16
209171		5/8	15/16 x 11/16

50.600 CLIP - LOOP TYPE



INDEX NO.	PART NO.	USE	A	B	C
	171863		1/8	13/32	5/8
	144911		3/16	13/32	11/32
	143360		3/16	7/32	1/2
	232880		13/32	15/32	13/16 Cut Out
	209378		13/32	15/32	13/16
	209169		1/4	7/32	5/8 Double
	34554		1/4	7/32	7/16
	316673		1/4	No Hole	5/8
	302539		1/4	15/32	3/4
	194280		9/64 & 1/4	7/32	3/4
	334745		5/16	15/32	7/8
	225506		5/16	11/32	11/16
	129773		5/16	13/64	3/8
	327512		5/16	11/32	5/8
	105161		3/8	11/32	7/16
	349657		3/8	7/32	1/2 Double
	302457		7/16	11/32	3/4
	302557		7/16	7/32	3/8
	35579		1/2	7/32	1/2
	316369		1/2	11/32	3/4
	62577		5/8	11/32	5/8
	146582		5/8	7/32	1/2
	201570		51/64	15/32	3/4

50.615 ANTI-RATTLE BUMPERS



INDEX NO.	PART NO.	USE	LENGTH	DIA.	
	199167		1-1/4	9/16	11/64 hole in center
	199571		1-1/2x1-1/8x3/16		Rectangular
	224214		9/16	1/4	1/8 hole
	307494		1-1/4 x 3/4	11/16	To fit 3/8 hole
	308102		1	3/16	9/64 hole in center
	308103		1	1/4	9/64 hole in center
	308134		1-1/4	1	1/8 hole in center
	308248		1-1/2x1-3/4	1/4	Rectangular
	308999		1x1-1/8x1-1/32		Block
	310588		1	5/16	9/64 hole in center
	312760		1/2	13/32	Plug
	314242		1-1-5/32	1-1/8	Taper-slot in center
	318999		5/8	13/64	13/64 hole
	326354		17/64	9/16	Block type-not round
	327266		1	3/4	11/64 hole in center
	328601		1/2	11/16	To fit 1/4 hole
	331576		1/2	19/32	To fit 1/4 hole
	349389		9/16	9/32-thick	Black
	349480		1 - 1-1/16	1/2	Taper-slot in center
	349489		1/2	5/16	To fit 7/32 hole
	349783		1x1x3/8		Rectangular

Many "UTILITY" parts are interchangeable. Order superseding numbers shown in "USE" column.

PackardInfo.com

50.625 CURTAIN FASTENERS



FASTENER EYELET (1)

195664
306535

FASTENER PLATE

339253

FASTENER SOCKET (2)

306637
325200
200073
139150
137510

FASTENER STUD (3)

159060
334380
339018
328127
306636
195341
195683
185412
325119
139157

SNAP FASTENER (4)

139159
334447
334448
310881
325481
193200

SNAP FASTENER EYELET (5)

175757
139158

FASTENER STUD WASHER (6)

306638
161792

FASTENER WOOD SCREW (7)

328047
161794

50.650 DOOR BUMPERS - RUBBER

INDEX NO.	PART NO.	THICKNESS	LENGTH	WIDTH	ILLUSTRATION NO.
175426		1/2	1-7/32	1-11/32	3
175427		1/2	1-7/32	1-13/32	3
175428		1/2	1-7/32	1-9/32	3
227890		17/32	1-17/32	1-13/32	1
227891		17/32	1-11/32	1-11/32	1
308439		5/16	1-5/16	1-1/2	2
308440		5/16	1-5/16	1-7/16	2
308441		5/16	1-5/16	1-9/16	2
308929		1/2	1-7/16	1-9/16	1
308930		1/2	1-7/16	1-9/16	1
308998		5/16	1-5/16	1-3/8	2
310117		5/16	1-5/16	1-1/2	2
310118		5/16	1-5/16	1-7/16	2
310119		5/16	1-5/16	1-3/8	2
313010		11/32	7/8	1-5/16	1
313011		11/32	7/8	1-3/16	1
313170		3/8	1-1/2	1-1/16	3
313616		11/32	7/8	1-5/16	1
313617		11/32	7/8	1-3/16	1
326298		5/16	1-5/16	1-11/16	2
326299		5/16	1-5/16	1-5/8	2
326300		5/16	1-5/16	1-9/16	2
327106		3/8	1-3/8	1-1/4	3
327107		3/8	1-3/8	1-5/16	3
327108		3/8	1-3/8	1-3/8	3
331895		5/16	1-5/16	1-11/16	2
342841		1/2	1-1/2	1-5/8	1
349078		9/16	1-5/8	1-5/8	2

50.655 FOOTMAN LOOPS



INDEX NO.	PART NO.	A	B
313154		.204	1-3/4
327381		.199	1-7/8

50.660 ANNULAR GASKETS



INDEX NO.	PART NO.	A	B	C	
300426		3/16	3/8	1/16	Fibre
237407		.196	.308	.032	Copper
129439		5/16	9/16	3/32	Copper Asbestos
354310		.332	1/2	.031	Copper
302770		25/64	5/8	3/64	Copper
327932		7/16	21/32	.032	Copper
302701		.450	11/16	.032	Copper
302700		.510	13/16	.032	Copper
302496		.600	13/16	.032	Copper
110576		9/16	13/16	3/32	Copper Asbestos
111192		5/8	1-3/16	.090	Copper Asbestos
21662		3/4	15/16	.070	Copper Asbestos
351866		1-4/64	1-7/8	1/16	Fibre
6383		1-1/8	1-7/16	.090	Copper Asbestos
20075		1-1/4	1-1/2	.090	Copper Asbestos
303015		1-17/64	1-19-32	1/8	Fibre
303021		1-17/64	1-1/2	.064	Aluminum
237673		.395	.562	.031	Copper

Many "UTILITY" parts are interchangeable. Order superseding numbers shown in "USE" column.

PackardInfo.com

50.670 HOSE



INDEX NO.	PART NO.	USE	A	B	C
	98685		1-1/2 I.D.	1-15/16 O.D.	3 ft. long
	98687		1-3/4 I.D.	2-1/8 O.D.	3 ft. long
	98688		2 I.D.	2-3/8 O.D.	3 ft. long
	232034		1-3/4 I.D.	2-1/8 O.D.	25-5/8"
	232487		2-3/16 I.D.	2-9/16 O.D.	2-1/2"
	242591		2 I.D.	2-3/8 O.D.	4-3/4"
	302194		1-1/2 I.D.	1-7/8 O.D.	10"
	302195		1-1/2 I.D.	1-7/8 O.D.	3"
	304217		2-3/16 I.D.	2-9/16 O.D.	2"
	307579		7/32 I.D.	13/32 O.D.	9-1/2"
	308262		3/4 I.D.	15/16 O.D.	8-3/4"
	308806		3/8 I.D.	17/32 O.D.	4"
	310297		7/32 I.D.	13/32 O.D.	6-1/2"
	310301		7/32 I.D.	13/32 O.D.	11-1/2"
	310737		7/32 I.D.	13/32 O.D.	10-3/4"
	312701		15/64 I.D.	17/32 O.D.	4-1/2"
	314626		7/32 I.D.	13/32 O.D.	15"
	320686		1-3/4 I.D.	2-1/8 O.D.	3"
	320694		1-3/4 I.D.	2-1/8 O.D.	8"
	325677		1/2 I.D.	21/32 O.D.	2-9/16"
	326068		9/32 I.D.	9/16 O.D.	7"
	341690		1-3/4 I.D.	2-1/8 O.D.	7"
	349874		9/32 I.D.	9/16 O.D.	4"
	349875		9/32 I.D.	9/16 O.D.	8"
	349882		9/32 I.D.	9/16 O.D.	3"
	351038		2-3/16 I.D.	2-9/16 O.D.	3-1/2"
	353124		9/32 I.D.	9/16 O.D.	7"

50.675 HOSE CLAMPS

INDEX NO.	PART NO.	USE	A	
	237557		3/4	Zinc Plate
	373164		7/8	Zinc Plate
	300602		1-7/8	Zinc Plate
	230085		2-1/8	Zinc Plate
	203083		2-5/32	Cadmium
	335655		2-13/32	Cadmium
	201218		2-7/16	Cadmium
	304218		2-5/8	Zinc Plate

50.700 OILERS



INDEX NO.	PART NO.	USE	TYPE	A	B
	216548		Straight	1/8 - 27	3/4
	216549		Elbow	1/8 - 27	29/32
	303748		Straight	1/8 - 27	1 - 1/4
	324006		Elbow	Drive fit	25/32
	302739		Straight	1/4 - 28	1/2
	338362		Straight	1/4 - 28	15/32
	311832		Elbow	1/4 - 28	1
	348086		Straight	Drive fit	1/2
	242183		Reservoir	1/8 - 27	2 - 1/4
	300072		Straight	Press Fit	7/16 Flip Top
	320508		Straight	#10-32	31/64
	338362		Straight	1/4-28	15/32

50.701 OIL SEAL ASSEMBLIES







Many "UTILITY" parts are interchangeable. Order superseding numbers shown in "USE" column.

INDEX NO.	PART NO.	USE	DESCRIPTION

50.710 HOLE PLUGS



		A	
199950		13/32 Hole	Burl Walnut
308752		1/2 Hole	Black Enamel
230349		5/8 Hole	Black Enamel
219194		3/4 Hole	Black Enamel
333147		3/4 Hole	Gypsy Brown
315649		15/16 Hole	Chrome Plate
300978		1 Hole	Black Enamel
320988		1-3/8 Hole	Black Enamel
190246		1-5/8 Hole	Black Enamel

50.720 PIPE PLUGS



		A THREAD	
300625		1/8 - 27	Square head
	5421	1/8 - 27	hex. head
4559		1/8 - 27	slotted head
	5422	1/4 - 18	hex. head
4564		1/4 - 18	square head
6646		3/8 - 18	hex. head
6573		3/8 - 18	slotted head
309987		3/8 - 18	socket head
6721		3/8 - 18	square head
302511		7/16 - 20	slotted head
6099		1/2 - 14	square head
300258		1/2 - 14	socket head
338162		1/2 - 13	hex. head
302234		1/2 - 14	square head
300233		5/8 - 18	hex. head
301234		3/4 - 20	hex. head
338521		3/4 - 14	square head
338522		3/4 - 14	socket head
144930		1-1/4-18	flange plug

INDEX NO.	PART NO.	USE	DESCRIPTION

50.725 UNION NUTS - Inverted - Weatherhead & Standard

	A TUBING SIZE	B THREAD	C HEX. HEAD	FINISH	ILLUS. NO.
302514	1/8	None	None	Not Plated	None
6906	3/16	3/8-24	3/8	Cadmium	1
6260	3/16	3/8-24	3/8	Nickel	1
6570	3/16	3/8-24	3/8	Not Plated	1
6571	3/16	3/8-24	3/8	White nickel	1
6663	3/16	3/8-24	3/8	Not Plated (tight thread)	1
341273	3/16	3/8-24	3/8	Not Plated	1
302457	1/4	------	---	Sleeve	None
6261	1/4	7/16-24	7/16	Bright nickel	1
6300	1/4	7/16-24	7/16	Not Plated	1
6344	1/4	7/16-24	7/16	Nickel plate	1
6660	1/4	7/16-24	7/16	Not plated (loose fit)	1
302492	1/4	7/16-24	7/16	Zinc	1
5426	1/4	1/2-20	----	1/8 Pipe-Union	None
300614	5/16	1/2-20	1/2	White nickel	1
363911	5/16	1/2-20	5/8	Not plated	3
6262	5/16	1/2-20	1/2	Bright nickel	1
6278	5/16	1/2-20	1/2	Not plated	1
6293	5/16	1/2-20	1/2	Not plated (loose fit)	1
6475	5/16	1/2-20	1/2	White nickel	1
157477	1/4	7/16-20	1/2	Not plated	2
230129	1/4	7/16-20	1/2	White nickel	2
320456	1/4	7/16-24	1/2	Not plated	2
5466	5/16	1/2-20	5/8	Nickel plate	3
5856	5/16	1/2-20	5/8	Nickel	3
5867	5/16	1/2-20	5/8	Nickel	3
333886	7/64	None	None	Not plated	None
300305	1/2	11-16-16	5/8	Not plated	2

50.725 PIPE FITTINGS - WEATHERHEAD



	ILLUS.No.	A	B	C
6256	1	3/16	3/8-24	1/8 Pipe
6257	1	3/16	7/16-24	1/8 Pipe
6659	1	1/4	7/16-24	1/8 Pipe
6669	1	7/16	11/16-18	1/4 Pipe
348112	1	5/16	1/2-20	3/8 Pipe
6572	2	3/16	3/8-24	1/8 Pipe
341667	2	3/16	7/16-24	1/8 Pipe
6568	2	3/16	3/8-24	1/8 Pipe
6572	2	3/16	3/8-24	1/8 Pipe
6508	2	3/16	7/16-24	1/8 Pipe
351252	2	3/16	3/8-24	1/4 Pipe
303724	2	3/16	3/8-24	1/8 Pipe
327638	2	7/32	1/8 Pipe	1/8 Pipe Elbow
6664	2	7/32	1/2-20	1/8 Pipe
302267	2	7/32	1/2-20	1/8 Pipe

Many "UTILITY" parts are interchangeable. Order superseding numbers shown in "USE" column.

PackardInfo.com

50.725 PIPE FITTINGS - WEATHERHEAD (Continued)

INDEX NO.	PART NO.	USE	ILLUS.No.	A	B	C
	6508		2	1/4	7/16-24	1/8 Pipe
	147188		2	1/4	1/2-20	1/8 Pipe Elbow
	6658		1	5/16	1/2-20	1/8 Pipe N.P.
	6477		2	5/16	1/2-20	1/8 Pipe
	6476		1	5/16	1/2-20	1/8 Pipe
	6938		2	3/8	5/8-18	1/4 Pipe
	351252		2	3/8	3/8-24	1/8 Pipe
	6571		3	3/16	3/8-24	
	351096		3	3/16	3/8-24	
	6906		3	3/16	3/8-24	
	300614		3	5/16	1/2-20	
	351129		3	5/16	5/8-18	
	6936		3	3/8	5/8-18	
	348887		3	3/8	11/16-18	
	120917	Conn.	None	3/16	7/16-20	1/8 Pipe
	351824	Elbow	None	9/32	(1/4-18)(5/8-18)(3/8-24)	
	351825	Tee	None	9/32	(1/4-18)(5/8-18)(3/8-24)	
	364277		2	9/32	3/8-24	1/4-18

50.805 STRAIGHT PIN



INDEX NO.	PART NO.	USE	A	B
	4763		9/16	.0935
	311458		17/32	.0935
	347531		29/64	.0935
	338452		9/16	.0935
	349055		1/2	.0935
	132972		2/32	.125
	335348		13/16	.157
	302560		1-13/16	.250
	302256		2	.437
	315658		2	.442

50.805 GROOVE PIN



INDEX NO.	PART NO.	USE	A	B
	306230		1/2	.092
	349055		1/2	.092
	335401		1/2	.3125
	300693		1/2	.125
	303563		3/4	.125
	300181		7/8	.125
	333143		7/8	.198
	302161		15/16	.164
	341651		1-1/8	.125
	335919		1-7/32	.385
	324463		1-1/2	.329
	302342		3-9/32	.250

50.810 WELCH PLUGS



INDEX NO.	PART NO.	USE	A DIA.
	210727		11/16 Chrome
	110196		3/4
	68601		1
	7748		1.25
	300413		1.307 Tapped 1/4-28
	302738		1.307 Plain
	302551		1.3125
	111561		1-3/8
	320578		1.958

50.825 WELT



INDEX NO.	PART NO.	USE	LENGTH	W	T	Color	Material
	325472		Specify	1/2	3/16	Specify	Top material
	306985		Specify	9/16	3/16	Specify	Cloth
	243020		Specify	5/8	3/16	Antiqua Tan	Im. Leather
	243021		Specify	5/8	3/16	Walnut	Im. Leather
	127253		Specify	5/8	9/32	Specify	Cloth
	243427		Specify	5/8	3/16	Specify	Im. Leather

50.835 W.S. WIPER BLADES



INDEX NO.	PART NO.	USE	A
	314344		6-3/4" std.
	308321		7" std.
	307138		8" std.
	311399		8-1/4" std.
	342972		8-1/4" electric
	211057		9" std.
	358075		10" electric
	353571		9" electric

Many "UTILITY" parts are interchangeable. Order superseding numbers shown in "USE" column.

Packardinfo.com

50.845 WOODRUFF KEY



INDEX NO.	PART NO.	USE	A	B	C
4551		#5	1/8	1/4	5/8
4552		#9	3/16	5/16	3/4
300064			3/16	13/32	1-3/8

50.846 STRAIGHT KEY



INDEX NO.	PART NO.		
197130		.3125 Sq.	3" Long
334921		.3115 Sq.	2-1/2" Long

50.847 WASHER - FELT



INDEX NO.	PART NO.	A	B	C
307165		15/64	7/16	1/16
338448		9/16	7/8	5/16
330293		5/8	1-1/8	5/16
330307		5/8	1-1/8	1/2
300321		7/8	1-1/4	1/4
300341		1-3/32	1-9/16 With tongue	3/32
304127		1-3/32	1-9/16	3/32
354602		1-3/16	1-1/4	5/16
354603		1-3/16	1-1/4	1/2
170522		1-7/8	2-3/8	3/8

50.848 WASHER - CORK



INDEX NO.	PART NO.	A	B	C
304190		3/8	1/2	1/64
316890		1/2	53/64	11/64
303407		19/32	61/64	3/16
330095		5/8	29/32	7/32
327606		49/64	1-7/64	11/64
316894		63/64	1-31/64	5/16

50.900 CABLE



INDEX NO.	PART NO.		
166400		Cable #10 Ga.	Black braid
166401		Cable #10 Ga.	Red braid
179250		Cable #12 Ga.	Black braid
303224		Cable #12 Ga.	Black with red tracer
194198		Cable #14 Ga.	Black braid
194219		Cable #14 Ga.	Green braid
194218		Cable #14 Ga.	Red braid
225374		Cable #14 Ga.	Yellow braid
209129		Cable #14 Ga.	White braid
166404		Cable #16 Ga.	Black braid
166405		Cable #16 Ga.	Black with red tracer
167069		Cable #16 Ga.	Green braid
303560		Cable #16 Ga.	Green with tracer braid
166406		Cable #16 Ga.	Red braid
225371		Cable #18 Ga.	Brown braid
225373		Cable #18 Ga.	Tan with red and black tracer
225372		Cable #18 Ga.	White braid
330140		Cable #29 Ga.	Black with green tracer
303486		Cable #30 Ga.	
302116		Cable battery Ga. #0	
201458		Cable battery Ga. #0	
207477		Cable high tension	Black

50.910 CONNECTORS, ELECTRIC CABLE



MALE FEMALE

INDEX NO.	PART NO.	A	B	Description
201736		.5285	.187	Male
201737		31/32	.180	Female
240635		17/32	.159	Male
240668		3/8	.151	Double Female
240669		1-7/32	.151	3-Wire-Female
314952		31/32	.180	Female
335447		17/32	.159	Male
354696		17/32	.159	Male

50.915 BATTERY CABLE TERMINALS - BATTERY END



Many "UTILITY" parts are interchangeable. Order superseding numbers shown in "USE" column.

PackardInfo.com

50.915 BATTERY GROUND CABLE ASSEMBLY



50.925 WIRE TERMINALS



INDEX NO.	PART NO.	USE	A	B	C	Material	Illus.No.
	225377		11/64	7/32	11/32	Copper	1
	33287		13/64	13/64	3/8	Copper	1
	166872		7/32	7/16	3/8	Copper(double)	1
	201710		11/64	3/16	3/8	Copper	2
	48202		17/64	13/64	7/16	Copper	1
	71397		11/64	7/32	3/8	Copper	2
	70205		11/64	3/8	3/8	Copper	2
	36076		5/16	9/32	9/16	Copper	2
	351388		3/8	1/4	11/16	Brass	2
	317804		3/16	5/32	3/8	Copper	3 open
	317805		3/16	5/32	3/8	Copper	3 open
	231297		9/32	3/16	1/2	Copper	3
	36452		9/32	3/16	1/2	Copper	3
	140076		13/32	1/2	3/4	Copper	3
	53127		25/64	9/32	11/16	Copper	4

50.935 INSULATOR RUBBER



INDEX NO.	PART NO.	USE	A I. Dia.	B Length
	36111		5/32	3/4
	202926		3/16	1-3/8
	48616		7/32	3/4
	215541		7/32	3/8
	203362		7/32	8

50.940 RUBBER GROMMETS



INDEX NO.	PART NO.	USE	A	B	C	D	E
	307532		3/32	1/4	1/16	5/16	5/32
	170401		3/16	3/8	5/32	1/2	5/16
	307737		1/4x3/8	5/8	1/8	7/8	1/2
	303605		17/64	15/32	1/16	5/8	5/16
	349649		5/16	7/16	7/64	5/8	9/32
	197876		5/16	3/4	1/16	1	5/16
	225329		3/8	21/32	5/32	1-3/16	13/32
	308366		13/32	5/8	1/16	13/16	1/4
	320483		7/16	11/16	21/32	1-1/8	29/32
	349760		7/16-3/8	5/8	3/32	7/8	15/64 Single
	194586		1/2	3/4	1/16	1	1/4
	194019		1/2	3/4	1/16	1-5/8	5/16
	303271		3/4	1-5/16	5/64	1-5/16	3/8
	304704		7/8	1-1/16	1/16	1-7/16	3/8
	194977		1	1-5/32	1/16	1-5/8	5/16

50.945 WASHER - RUBBER



INDEX NO.	PART NO.	USE	A	B	C
	337327		3/16	5/64	7/16
	349869		7/32	3/32	1/2
	77945		5/16	1/16	5/8
	304043		5/16	1/8	7/8
	324383		11/32	1/8	3/4
	325899		13/32	9/32	7/8
	331743		13/32	3/8	1-9/16 Rubber & Canvas
	328882		13/32	3/8	1-1/4 Rubber & Canvas
	324851		27/64	7/32	1-1/8 Collar
	326146		7/16	1/4	1-1/2 Rubber & Canvas
	327700		7/16	5/16	1-1/4
	110571		1/2	3/64	7/8
	324729		15/32	7/32	1-1/8
	327969		15/32	5/32	1-3/16
	348792		15/32	15/64	1-3/16
	56711		5/8	1/16	7/8
	317812		5/8	1/4	1
	326541		5/8	7/32	1-1/8
	351407		3/4	3/16	3
	358111		3/4	15/16	2
	320986		3/4	3/16	2
	327183		7/8	1/4	1-1/2 Rubber & Canvas
	197594		7/8	7/32	1-15/16
	300590		7/8	3/16	2-1/4
	300591		7/8	1/4	2-1/4
	121569		1-25/32	1/16	2-15/32
	335423		2-1/4	15/32	3

Many "UTILITY" parts are interchangeable. Order superseding numbers shown in "USE" column.

50.950 LOOM



INDEX NO.	PART NO.	USE	A I. Dia.	B Length
	337682		1/4	56"
	309787		7/16	5
	302123		1/2	28
	302122		9/16	3
	320985		9/16	5/8"
	358110		9/16	29/32
	197991		5/8	2
	231136		5/8	4
	162450		5/8	5
	194311		5/8	7
	184988		5/8	9
	237656		5/8	12
	209110		5/8	27
	225514		5/8	33
	237201		5/8	39
	242141		5/8	45
	210833		5/8	48
	338398		3/4	3
	330567		3/4	5-1/2

50.960 LAMP BULBS



INDEX NO.	PART NO.	USE	C.P.	Mazda No.	
	223889		.8 C.P.	51	6 Volt
	225655		1-1/2 C.P.	55	6 Volt
	327569		1-1/2 C.P.	57	12 Volt
	102590		3 C.P.	63	6 Volt
	327565		3 C.P.	67	12 Volt
	102585		6 C.P.	81	6 Volt
	327566		6 C.P.	89	12 Volt
	203301		15 C.P.	87	6 Volt
	327567		15 C.P.	93	12 Volt
	324693		21-3 C.P.	1158	6 Volt
	327620		21-6 C.P.	1176	12 Volt
	223978		32-32 C.P.	2330L	6 Volt
	324693		21-3 C.P.	58	6 Volt
	324931		32 C.P.	1321	6 Volt
	353079		32 C.P.	1323	6 Volt
	327903		32 C.P.	1129	6 Volt
	354506		21-3 C.P.	1154 (Staggered bayonet lock)	6 Volt
	327568		50-50 C.P.	1112	12 Volt

50.975 FUSES



INDEX NO.	PART NO.	USE		
	349724		1/4 x 1-1/16	(14 amp.)
	353362		1/4 x 7/8	(9 amp.)
	302121		1/4 x 1-1/4	(20 amp.)
	351550		1/4 x 1-1/4	(30 amp.)

50.980 SPARK PLUGS



INDEX NO.	PART NO.	USE		
	382647		10 m.m.	(AC-106)
	382648		10 m.m.	(Champion Y6)
	341227		10 m.m.	(AC-104)
	338935		10 m.m.	(Champion Y4)
	209704		14 m.m.	(AC-K7)
	311539		14 m.m.	(Champion J6)

50.980 SPARK PLUG GASKET

INDEX NO.	PART NO.	USE	
	239407		Gasket 10 m.m.
	228731		Gasket 14 m.m.
	239453		Spark Plug upper nut (Used with snap on connector)

50.990 LOCK PIN



INDEX NO.	PART NO.	USE	A	B
	303318		1/2	1-13/16

50.995 RECTANGULAR BODY LINERS



INDEX NO.	PART NO.	USE	A	B	C
	311483		1-3/8	1-3/8	11/16 Rubber
	325891		1-3/8	2-7/16	7/16 Canvas & Rubber
	349466		1-1/2	1-1/2	3/8 Rubber
	349468		1-1/2	1-1/2	5/8 Rubber

Many "UTILITY" parts are interchangeable. Order superseding numbers shown in "USE" column.

PackardInfo.com

50.995 RECTANGULAR BODY LINERS (Continued)

INDEX NO.	PART NO.	USE	A	B	C	DESCRIPTION
	349519		1-1/2	1-1/2	1/4	Steel
	349520		1-1/2	1-1/2	5/16	Steel
	349521		1-1/2	1-1/2	3/8	Steel
	349470		1-1/2	1-1/2	3/16	Steel
	349471		1-1/2	1-1/2	1/8	Steel
	328689		1-1/2	1/2	7/16	Steel
	325894		1-5/8	1-5/8	3/16	Canvas & Rubber
	325895		1-5/8	1-5/8	1/8	Steel
	326493		1-5/8	1-5/8	1/8	Steel Slotted
	326494		1-5/8	1-5/8	1/16	Steel Slotted
	307634		1-5/8	2	1/4	Rubber
	308840		1-5/8	2	1/8	Rubber
	308926		1-5/8	2-1/2	3/8	Rubber
	308927		1-5/8	2-1/2	1/8	Rubber
	326301		1-3/4	1-3/4	3/8	Canvas & Rubber
	325893		1-3/4	1-3/4	7/16	Canvas & Rubber
	331738		1-3/4	1-3/4	3/8	Canvas & Rubber
	349467		1-3/4	1-1/4	3/8	Rubber
	328692		2	1-1/4	7/16	Steel
	310729		2	1-1/4	1/4	Rubber
	310730		2	1-1/4	1/8	Rubber
	314897		2	16	1/4	Felt
	308954		2	1-5/8	1/8	Steel Slotted
	308953		2	1-5/8	1/8	Steel Slotted
	310732		2	1-1/4	1/16	Steel Slotted
	310731		2	1-1/4	1/8	Steel Slotted
	325892		2-5/16	1-1/4	1/8	Canvas & Rubber
	325915		2-5/16	1-1/4	3/16	Canvas & Rubber
	326495		2-5/16	1-1/4	1/16	Steel Slotted
	326496		2-5/16	1-1/4	1/8	Steel Slotted
	308956		2-1/2	1-5/8	1/8	Steel Slotted
	308955		2-1/2	1-5/8	1/16	Steel Slotted
	308839		3-1/4	1-5/8	1/8	Rubber
	307633		3-1/4	1-5/8	1/4	Rubber
	308958		3-1/4	1-5/8	1/16	Steel
	308957		3-1/4	1-5/8	1/8	Steel

Many "UTILITY" parts are interchangeable. Order superseding numbers shown in "USE" column.

PackardInfo.com